
Installation Guide

Advanced Authentication - Windows Client

Version 5.4

Legal Notices

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see <https://www.netiq.com/company/legal/>.

Copyright © 2016 NetIQ Corporation, a Micro Focus company. All Rights Reserved.

Contents

About NetIQ Corporation	5
About this Book	7
1 System Requirements	9
2 Preliminary Configuration	11
2.1 How to Set DNS for Server Discovery	11
2.2 Disabling 1:N	15
2.3 Using a Specific Advanced Authentication Server	15
2.4 Disabling Local Accounts	15
2.5 Configuring Windows Client Ports	15
2.6 Configuration Settings for Multitenancy	16
2.7 Selecting an Event	16
3 Installing and Removing Windows Client	17
3.1 Installing Windows Client	17
3.2 Removing Windows Client	17
3.2.1 Microsoft Windows 7	18
3.2.2 Microsoft Windows 8.1	18
3.2.3 Microsoft Windows 10	18
4 Troubleshooting for Windows	19
4.1 Chain Icons Cannot be Updated	19
4.2 Long Boot	20
4.3 Endpoint Not Found	20

About NetIQ Corporation

We are a global, enterprise software company, with a focus on the three persistent challenges in your environment: Change, complexity and risk—and how we can help you control them.

Our Viewpoint

Adapting to change and managing complexity and risk are nothing new

In fact, of all the challenges you face, these are perhaps the most prominent variables that deny you the control you need to securely measure, monitor, and manage your physical, virtual, and cloud computing environments.

Enabling critical business services, better and faster

We believe that providing as much control as possible to IT organizations is the only way to enable timelier and cost effective delivery of services. Persistent pressures like change and complexity will only continue to increase as organizations continue to change and the technologies needed to manage them become inherently more complex.

Our Philosophy

Selling intelligent solutions, not just software

In order to provide reliable control, we first make sure we understand the real-world scenarios in which IT organizations like yours operate—day in and day out. That's the only way we can develop practical, intelligent IT solutions that successfully yield proven, measurable results. And that's so much more rewarding than simply selling software.

Driving your success is our passion

We place your success at the heart of how we do business. From product inception to deployment, we understand that you need IT solutions that work well and integrate seamlessly with your existing investments; you need ongoing support and training post-deployment; and you need someone that is truly easy to work with—for a change. Ultimately, when you succeed, we all succeed.

Our Solutions

- ◆ Identity & Access Governance
- ◆ Access Management
- ◆ Security Management
- ◆ Systems & Application Management
- ◆ Workload Management
- ◆ Service Management

Contacting Sales Support

For questions about products, pricing, and capabilities, contact your local partner. If you cannot contact your partner, contact our Sales Support team.

Worldwide:	www.netiq.com/about_netiq/officelocations.asp
United States and Canada:	1-888-323-6768
Email:	info@netiq.com
Web Site:	www.netiq.com

Contacting Technical Support

For specific product issues, contact our Technical Support team.

Worldwide:	www.netiq.com/support/contactinfo.asp
North and South America:	1-713-418-5555
Europe, Middle East, and Africa:	+353 (0) 91-782 677
Email:	support@netiq.com
Web Site:	www.netiq.com/support

Contacting Documentation Support

Our goal is to provide documentation that meets your needs. The documentation for this product is available on the NetIQ Web site in HTML and PDF formats on a page that does not require you to log in. If you have suggestions for documentation improvements, click **Add Comment** at the bottom of any page in the HTML version of the documentation posted at www.netiq.com/documentation. You can also email Documentation-Feedback@netiq.com. We value your input and look forward to hearing from you.

Contacting the Online User Community

NetIQ Communities, the NetIQ online community, is a collaborative network connecting you to your peers and NetIQ experts. By providing more immediate information, useful links to helpful resources, and access to NetIQ experts, NetIQ Communities helps ensure you are mastering the knowledge you need to realize the full potential of IT investments upon which you rely. For more information, visit community.netiq.com.

About this Book

The Windows Client Installation User Guide has been designed for all users and describes the system requirements and the installation procedure for Windows Client.

Intended Audience

This book provides information for individuals responsible for understanding administration concepts and implementing a secure, distributed administration model.

About Windows Client

Windows Client replaces standard way of log on to Microsoft Windows by a more secure using the authentication chains configured in Advanced Authentication.

IMPORTANT: Advanced Authentication Windows Client supports offline logon (when the Advanced Authentication Server is not available) for non-local accounts of the authentication chains that contain the methods: LDAP Password, Password, PKI, HOTP, TOTP, Smartphone (offline mode), Card, FIDO U2F, and Fingerprint.

TIP: To log on with Microsoft account enter <WorkstationName>\<MicrosoftAccount> in the user name field, e.g. win81x64\pjones@live.com.

NOTE: Use of **Run as administrator** with a domain account on a non-domain workstation is not supported.

1 System Requirements

IMPORTANT: Installing and removing Windows Client requires Local Admins privileges.

The following system requirements should be fulfilled:

- ♦ Microsoft Windows 7 (x64/x86) SP1/Microsoft Windows 8.1 (x64/x86)/Microsoft Windows 10 (x64/x86)/Microsoft Windows Server 2008 R2/ Microsoft Windows Server 2012 R2.
- ♦ DNS is properly configured for Advanced Authentication Server discovery (see [How to Set DNS for Server Discovery](#)) or a specific Advanced Authentication server must be specified in the [configuration file](#).

2 Preliminary Configuration

The chapter contains articles about required pre-configuration.

- ♦ Section 2.1, “How to Set DNS for Server Discovery,” on page 11
- ♦ Section 2.2, “Disabling 1:N,” on page 15
- ♦ Section 2.3, “Using a Specific Advanced Authentication Server,” on page 15
- ♦ Section 2.4, “Disabling Local Accounts,” on page 15
- ♦ Section 2.5, “Configuring Windows Client Ports,” on page 15
- ♦ Section 2.6, “Configuration Settings for Multitenancy,” on page 16
- ♦ Section 2.7, “Selecting an Event,” on page 16

2.1 How to Set DNS for Server Discovery

Question:

I would like to set DNS for server discovery. How can I do it and what is its workflow?

Answer:

To set a DNS for the Server Discovery, perform the following steps:

1. Open a DNS Manager. To open the DNS Manager, click **Start**, point to **Administrative Tools**, and click **DNS**.
2. Add Host A or AAAA record and PTR record:
 - a. In the console tree, right-click the forward lookup zone that includes your domain name and click **New Host (A or AAAA)**.
 - b. Specify a DNS name for the Advanced Authentication Server in **Name**.
 - c. Specify the IP address for the Advanced Authentication Server in **IP address**. You can specify the address in IP version 4 (IPv4) format (to add a host (A) resource record) or IP version 6 (IPv6) format (to add a host (AAAA) resource record).
 - d. Select **Create associated pointer (PTR) record** to create an additional pointer (PTR) resource record in a reverse zone for this host, based on the information that you provided in **Name** and **IP address**.
3. Add an SRV record:
 - a. For Advanced Authentication servers from a primary Advanced Authentication site (a site with Global Master server):
 - i. In the console tree, locate **Forward Lookup Zones** and right-click on a node with domain name and click **Other New Records**.
 - ii. In the **Select a resource record type** list, click **Service Location (SRV)** and then click **Create Record**.
 - iii. Click **Service** and then specify **_aaa**.
 - iv. Click **Protocol** and then specify **_tcp**.

- v. Click **Port Number** and then specify **443**.
 - vi. In **Host offering this service**, specify the FQDN of the server that is added. For example, `authsrv.mycompany.com`.
 - vii. Click **OK**.
- b. For Advanced Authentication servers from the other Advanced Authentication sites:
- i. In the console tree, locate **Forward Lookup Zones**, switch to a node with domain name then to `_sites` node, right-click on an appropriate site name and click **Other New Records**.
 - ii. In the **Select a resource record type** list, click **Service Location (SRV)** and then click **Create Record**.
 - iii. Click **Service** and then specify `_aaa`.
 - iv. Click **Protocol** and then specify `_tcp`.
 - v. Click **Port Number** and then specify **443**.
 - vi. In **Host offering this service**, specify the FQDN of the server that is added. For example, `authsrv.mycompany.com`.
 - vii. Click **OK**.

Repeat steps 2 to 3 for all the authentication servers. The Priority and Weight values for different servers may vary.

DNS server contains SRV entries `_service._proto.name TTL class SRV priority weight port target`. The following descriptions define the elements present in the DNS server:

- ◆ **Service**: symbolic name of an applicable service
- ◆ **Proto**: transport protocol of an applicable service. Mostly, TCP or UDP.
- ◆ **Name**: domain name for which this record is valid. It ends with a dot.
- ◆ **TTL**: standard DNS time to live field.
- ◆ **Class**: standard DNS class field (this is always IN).
- ◆ **Priority**: priority of the target host. Lower value indicates that it is more preferable.
- ◆ **Weight**: a relative weight for records with the same priority. Higher value indicates that it is more preferable.
- ◆ **Port**: TCP or UDP port on which the service is located.
- ◆ **Target**: canonical host name of the machine providing the service. It ends with a dot.

Configuring Authentication Server Discovery on client side

You can use the following options for server discovery on the client side:

- ◆ `discovery.Domain`: DNS name of the domain. For Windows Client, this value is used if workstation is not connected to the domain.
- ◆ `discovery.subDomains`: list of additional sub domains separated by a semicolon. You can use them on MacOS Client or Linux Client to list AD sites.
- ◆ `discovery.useOwnSite`: Set the value to `True` to use the local site (Windows Client only).
- ◆ `discovery.dnsTimeout`: Time out for the DNS queries. The default value is 15 seconds.

Authentication Server Discovery Flow

Windows Client

The feature is not supported in Windows Client.


MacOS Client/ Linux PAM module

1. Get servers from the sub domains listed in `discovery.subDomain`.
2. Get servers from the domain specified in `discovery.Domain` (global list).

Path for the configuration file is as follows:

- ♦ **MacOS Client:** `/Library/Security/SecurityAgentPlugins/aucore_login.bundle/Contents/etc/aucore_login.conf`.
- ♦ **Linux PAM module:** `/opt/pam_aucore/etc/pam_aucore.conf`.

The following diagram illustrates the server discovery workflow graphically.



2.2 Disabling 1:N

You can disable the 1:N feature that allows to detect the user name automatically while authenticating with the Card and PKI methods.

- 1 Open the file `C:\Program Data\NetIQ\Windows Client\config.properties`. If the file does not exist, create a new file.
- 2 Add the line `disable_1N: true` to the file.
- 3 Save the file and restart the operating system.

2.3 Using a Specific Advanced Authentication Server

You can specify a certain Advanced Authentication server on a workstation that can be used when a workstation is joined to a domain, but user wants to force connection to a specific Advanced Authentication server and when a workstation with Windows Client is not joined to a domain.

In the `C:\ProgramData\NetIQ\Windows Client\config.properties` file, configure `discovery.host = <IP_address|domain_name>`.

For example, `discovery.host = 192.168.20.40` or `discovery.host = auth2.mycompany.local`.

You can specify a port number (optional parameter) for the client-server interaction: `discovery.port = <portnumber>`.

NOTE: For **Windows logon** event, select the **OS Logon (local)** Event type if you want to use Windows Client on non-domain joined workstations.

2.4 Disabling Local Accounts

It is recommended to disable local accounts for the non-domain mode to ensure security.

To disable local accounts:

- 1 Open the file `C:\Program Data\NetIQ\Windows Client\config.properties`. If the file does not exist, create a new file.
- 2 Add a line `disable_local_accounts: true` to the file.

If you do not disable the local accounts for a non-domain mode, it is possible to unlock the operating system and change the password using a local account with password authentication (one factor). This can lead to security issues.

2.5 Configuring Windows Client Ports

You can configure the ports in the file `C:\ProgramData\NetIQ\Windows Client\config.properties`.

port: 8082, which is the default port, is used to interact with the Advanced Authentication server.

offline.port: 8082, which is the default port, is used to interact with the local cache server if **local caching** is enabled.

2.6 Configuration Settings for Multitenancy

If Multi-tenancy is enabled, you must add the parameter `tenant_name` with a used tenant name as value in the configuration file: `C:\ProgramData\NetIQ\Windows Client\config.properties`. For example, specify `tenant_name=TOP` for the TOP tenant in the file. If the configuration file does not exist, you must create it.

NOTE: If you do not add the parameter `tenant_name`, you might get an error `Tenant not found`.

2.7 Selecting an Event

By default Windows logon event is used. However, in some cases it is required to create a separate event. For example, when the predefined event is used for domain joined workstations, you can create a custom event with type `Generic` for the non-domain joined workstations. In this case you will need to point these [non-domain] workstations to the custom event using the following parameter in the `event_name`: `<CustomEventName>` configuration file:

```
C:\ProgramData\NetIQ\Windows Client\config.properties
```

NOTE: Caching is not supported for the custom events.

3 Installing and Removing Windows Client

In this chapter:

- ♦ [Installing Windows Client](#)
- ♦ [Removing Windows Client](#)

NOTE: To upgrade the Windows Client from 5.2 to 5.4, you must not uninstall 5.2 because it does not support the removal of endpoints during uninstallation. In this case, the administrator will have to remove the endpoint manually. See [Installing Windows Client](#) to perform the upgrade.

3.1 Installing Windows Client

To install Windows Client via Setup Wizard:

1. Check **System** properties (Control Panel\All Control Panel Items\System) to detect your **System type**.
2. Run `naaf-winclient-x86-release-<version>.msi` in case of 32-bit Operating System, `naaf-winclient-x64-release-<version>.msi` in case of 64-bit Operating System.
3. Click **Next** to continue.
4. Read the **License Agreement**. Select the **I accept the terms in the license agreement** checkbox and click **Next**.
5. Click **Next** to install to the default folder or click **Browse** to choose another.
 - ♦ To change the destination folder, click the **Change** button and select an applicable destination.
 - ♦ To continue, click **Next**.
6. Click **Install** and wait until the component is installed.
7. Click **Finish** to close the Wizard.

NOTE: If you are installing Windows Client on a non-domain workstation, create a configuration file `C:\ProgramData\NetIQ\Windows Client\config.properties` before you restart and follow the procedure in the section “[Using a Specific Advanced Authentication Server](#)” to specify an Advanced Authentication server.

IMPORTANT: It is required to set **Require admin password to register endpoint/workstation** to **OFF** in Endpoint management options on Advanced Authentication Administrative Portal. Otherwise the required endpoint won't be created.

8. Click **Yes** to restart the operating system.

3.2 Removing Windows Client

Windows Client can be removed via Setup Wizard or Control Panel.

NOTE: It is recommended to remove the component only in the online mode, when Advanced Authentication Server is available. Otherwise the endpoint will not be removed and administrator will need to remove it manually.

To remove Windows Client via Setup Wizard, follow the steps:

1. Run `naaf-winclient-x86-release-<version>.msi` in case of 32-bit Operating System, `naaf-winclient-x64-release-<version>.msi` in case of 64-bit Operating System.
2. Click **Next** to continue.
3. Select **Remove** as an applicable operation and click **Next** to remove Windows Client from your computer.
4. Click **Remove** to confirm removal.

To remove Windows Client via Control Panel, select one of the links that corresponds to your operating system:

- ♦ [Microsoft Windows 7](#)
- ♦ [Microsoft Windows 8.1](#)
- ♦ [Microsoft Windows 10](#)

3.2.1 Microsoft Windows 7

1. In the **Start** menu, select **Control panel** and then double-click **Programs and Features**.
2. Select NetIQ **Windows Client** and click **Uninstall**.
3. Confirm the removal.
4. Wait a few seconds until the removal is completed.

3.2.2 Microsoft Windows 8.1

1. In the **Search** menu, select **Apps > Control Panel > Programs > Programs and Features**.
2. Select NetIQ **Windows Client** and click **Uninstall**.
3. Confirm the removal.
4. Wait a few seconds until the removal is completed.

3.2.3 Microsoft Windows 10

1. Right-click the **Start** button and select **Control Panel > Programs > Programs and Features**.
2. Select NetIQ **Windows Client** and click **Uninstall**.
3. Confirm the removal.
4. Wait a few seconds until the removal is completed.

4 Troubleshooting for Windows

To investigate the possible issues you may be asked to collect the debug logs.

1. Run `DiagTool.exe` (the tool must have Microsoft .NET Framework 3.5 installed).
2. Click **Clear All** (if applicable) in the **Debug logs** tab.
3. Click **Enable**.
4. Restart the system.
5. Reproduce your problem.
6. Run `DiagTool.exe`.
7. Click **Save logs** in the **Debug logs** tab.
8. Specify a file name and path. Click **Save** to save the logs.
9. Click **Disable** to disable the logging.
10. Click **Clear All**.

If you don't have the Diagnostic Tool you can perform the actions manually:

1. Create a text file `C:\ProgramData\NetIQ\Logging\config.properties`.
2. Add a string to the file: `logEnabled=True` that ends by a line break.
3. Create a directory: `C:\ProgramData\NetIQ\Logging\Logs\`.
4. Restart the machine.
5. Reproduce your problem.
6. Pack the logs located in `C:\ProgramData\NetIQ\Logging\Logs\` into a zip file.
7. Change `logEnabled=True` to `logEnabled=False` in the folder, `C:\ProgramData\NetIQ\Logging\config.properties`

With the Diagnostic Tool, you can check the network problems on a workstation, issues in connection between a workstation and DNS Server, and to get a list of the Advanced Authentication Servers that can be discovered. To this, perform the following steps:

1. Run `DiagTool.exe` (the tool must have Microsoft .NET Framework 3.5 installed).
2. Switch to the **Servers** tab.
3. In the **Search settings** you must enter FQDN in **Domain** and click **Search**. A list of Advanced Authentication Servers is displayed.
4. If the list is not displayed, clear **Use system DNS server** and enter the IP address of your DNS server in **DNS server** and click **Search** again.

4.1 Chain Icons Cannot be Updated

Issue

System administrator applied the new icons for the used authentication chains, but they were not updated on the Windows Client.

Solution

Windows Client does not update the icons to reduce the traffic. Please remove the folder `C:\ProgramData\NetIQ\Windows Client\logocache` to clear the icons cache.

4.2 Long Boot

Question:

With the Windows Client installed I experience longer Please wait screen during OS boot?

Answer:

It happens because Advanced Authentication has to wait for network to get and show a list of available authentication chains.

4.3 Endpoint Not Found

Issue

After installing the client component and rebooting, the client reports Endpoint not found error and it is not possible to login.

Reason

An endpoint for the client already exists on server or in configuration file on the client.

Solution

1. Remove the endpoint for the client on the server in Administrative Portal - Endpoints section (if it exists).
2. Boot in Safe mode and remove `endpoint_id`, `endpoint_name` and `endpoint_secret` parameters from `C:\ProgramData\NetIQ\Windows Client\config.properties`.
3. Reboot.