

Event ID	Class	Description
101	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Return list of access request approval policies
102	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Get the access request approval policy with the given ID
103	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Get the default access request approval policy
104	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Create an access request approval policy
105	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Update access request approval policy
106	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Delete the access request approval policy with the given ID
107	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Return list of permissions assigned to an access request approval policy
108	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Return list of technical roles assigned to an access request approval policy
109	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Return list of applications assigned to an access request approval policy
110	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Set approval items for an access request approval policy
111	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Get the approval policies for the specified resources
112	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Assign approval items to the default access request approval policy
113	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Get the access request approval policy for the given access request item ID
114	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	Get the approval notification and reminder email template names
201	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Return list of access request policies
202	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Get the access request policy with the given ID
203	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Create an access request policy
204	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Update access request policy
205	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Delete the access request policy with the given ID
206	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Return list of permissions assigned to an access request policy
207	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Return list of technical roles assigned to an access request policy

208	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Return list of applications assigned to an access request policy
209	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Set request items for an access request policy
210	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Get the request policies for the specified resources
211	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Clear the access request policy for the specified items
212	com.netiq.iac.server.rest.AccessRequestPolicyRestService	Get the access request policy for the given access request item ID
301	com.netiq.iac.server.rest.AccountsService	Get the list of accounts associated with an application using it's ID
302	com.netiq.iac.server.rest.AccountsService	Get the details of the account with ID acctd associated with an application having the ID appld
303	com.netiq.iac.server.rest.AccountsService	Update the curated data for an application account
304	com.netiq.iac.server.rest.AccountsService	Get cause (trace) of permission assignment
305	com.netiq.iac.server.rest.AccountsService	Get mapped users for the specified account
306	com.netiq.iac.server.rest.AccountsService	Get mapped permissions for the specified account
307	com.netiq.iac.server.rest.AccountsService	Get the detected SoD violations of the account with the specified id
401	com.netiq.iac.server.rest.AdvisorFeedService	Get all Advisor Feeds
402	com.netiq.iac.server.rest.AdvisorFeedService	Get specified advisor feed
403	com.netiq.iac.server.rest.AdvisorFeedService	Delete specified data collector
404	com.netiq.iac.server.rest.AdvisorFeedService	Update advisor feed
405	com.netiq.iac.server.rest.AdvisorFeedService	Update status of advisor feed
406	com.netiq.iac.server.rest.AdvisorFeedService	Start Advisor Feed generation process
407	com.netiq.iac.server.rest.AdvisorFeedService	Get schedule of Advisor Feed generation processes
408	com.netiq.iac.server.rest.AdvisorFeedService	Add new data advisor feed
409	com.netiq.iac.server.rest.AdvisorFeedService	Get schedule of Advisor Feed generation processes
410	com.netiq.iac.server.rest.AdvisorFeedService	Return list of permission types
501	com.netiq.iac.server.rest.ApplicationService	Get all identity sources
502	com.netiq.iac.server.rest.ApplicationService	Get all application sources
503	com.netiq.iac.server.rest.ApplicationService	Add new application
504	com.netiq.iac.server.rest.ApplicationService	Delete specified identity source
505	com.netiq.iac.server.rest.ApplicationService	Update application

506	com.netiq.iac.server.rest.ApplicationService	Start collections for collectors associated to the specified identity
507	com.netiq.iac.server.rest.ApplicationService	Get the attribute joins that are required for an application
508	com.netiq.iac.server.rest.ApplicationService	Get attribute joins for specified application
509	com.netiq.iac.server.rest.ApplicationService	Update/Add/Remove attribute joins for specified application
510	com.netiq.iac.server.rest.ApplicationService	Start application resolution process
511	com.netiq.iac.server.rest.ApplicationService	Stops the resolution by id
512	com.netiq.iac.server.rest.ApplicationService	Get schedule of applicaiton resolution processes
513	com.netiq.iac.server.rest.ApplicationService	Get Application resolutions
514	com.netiq.iac.server.rest.ApplicationService	Get all application resolutions
515	com.netiq.iac.server.rest.ApplicationService	Export application source
516	com.netiq.iac.server.rest.ApplicationService	Start data source download for the specified id
517	com.netiq.iac.server.rest.ApplicationService	Get the download file
518	com.netiq.iac.server.rest.ApplicationService	Check the status of a download
519	com.netiq.iac.server.rest.ApplicationService	Cancel a download
601	com.netiq.iac.server.rest.ApprovalPolicyService	Return list of approval policies also include the information about
602	com.netiq.iac.server.rest.ApprovalPolicyService	Get the GLOBAL approval policY
603	com.netiq.iac.server.rest.ApprovalPolicyService	Get the approval policy with the given ID
604	com.netiq.iac.server.rest.ApprovalPolicyService	Delete the approval policy with the given ID
605	com.netiq.iac.server.rest.ApprovalPolicyService	Create a approval policy
606	com.netiq.iac.server.rest.ApprovalPolicyService	Update global default approval policy
607	com.netiq.iac.server.rest.ApprovalPolicyService	Update approval policy
608	com.netiq.iac.server.rest.ApprovalPolicyService	Get the business roles for a given approval policy
609	com.netiq.iac.server.rest.ApprovalPolicyService	Get the business roles that will require an approval state changes given the requested changes
610	com.netiq.iac.server.rest.ApprovalPolicyService	Get the business roles that will require an approval state changes given the requested changes
611	com.netiq.iac.server.rest.ApprovalPolicyService	Get the business roles for Global Approval Policy
612	com.netiq.iac.server.rest.ApprovalPolicyService	Start the approval policy download
613	com.netiq.iac.server.rest.ApprovalPolicyService	Get the download file
614	com.netiq.iac.server.rest.ApprovalPolicyService	Check the status of a download

615	com.netiq.iac.server.rest.ApprovalPolicyService	Cancel a download
616	com.netiq.iac.server.rest.ApprovalPolicyService	Perform an import preview which will attempt to resolve objects and object references
617	com.netiq.iac.server.rest.ApprovalPolicyService	Perform an import
701	com.netiq.iac.server.rest.AuthService	Get all global roles
702	com.netiq.iac.server.rest.AuthService	Get global role assignment for users for specific role
703	com.netiq.iac.server.rest.AuthService	Get global role assignment for groups for specific role
704	com.netiq.iac.server.rest.AuthService	Assign a suser to a role
705	com.netiq.iac.server.rest.AuthService	Assign a sgroup to a role
706	com.netiq.iac.server.rest.AuthService	Delete a suser from a role
707	com.netiq.iac.server.rest.AuthService	Delete a sgroup from a role
708	com.netiq.iac.server.rest.AuthService	Check an authorization permission for the authenticated user
709	com.netiq.iac.server.rest.AuthService	Check if the authenticated user has full read access to the specified entity type
801	com.netiq.iac.server.rest.AutoCurationService	Get AutoCuration details for specified id
802	com.netiq.iac.server.rest.AutoCurationService	Stop AutoCuration from running- User's request for termination of autocuration
803	com.netiq.iac.server.rest.AutoCurationService	Upload/curate users
804	com.netiq.iac.server.rest.AutoCurationService	Upload accounts curation
805	com.netiq.iac.server.rest.AutoCurationService	Upload accounts curation
806	com.netiq.iac.server.rest.AutoCurationService	Get data collection details for specified id
901	com.netiq.iac.server.rest.BURoleAnalyticsService	Returns a list of considered attributes and their significance
902	com.netiq.iac.server.rest.BURoleAnalyticsService	Returns a list of sorted values for the given root
903	com.netiq.iac.server.rest.BURoleAnalyticsService	Returns a list of sorted values for the given root
1001	com.netiq.iac.server.rest.BURoleService	Return list of business roles also include the information about
1002	com.netiq.iac.server.rest.BURoleService	Return list of business roles pending approval of the logged in user
1003	com.netiq.iac.server.rest.BURoleService	Get the business role with the given ID
1004	com.netiq.iac.server.rest.BURoleService	Delete the business role with the given ID

1005	com.netiq.iac.server.rest.BURoleService	Bulk delete the business roles with the given IDs
1006	com.netiq.iac.server.rest.BURoleService	Create a business role
1007	com.netiq.iac.server.rest.BURoleService	Update business role
1008	com.netiq.iac.server.rest.BURoleService	Change business role's approval state
1009	com.netiq.iac.server.rest.BURoleService	Publish the given business roles
1010	com.netiq.iac.server.rest.BURoleService	Set the business role managers
1011	com.netiq.iac.server.rest.BURoleService	Get the business role managers
1012	com.netiq.iac.server.rest.BURoleService	Set the business role owners
1013	com.netiq.iac.server.rest.BURoleService	Get the business role owners
1014	com.netiq.iac.server.rest.BURoleService	Set the business role fulfiller
1015	com.netiq.iac.server.rest.BURoleService	Get the business role fulfiller
1016	com.netiq.iac.server.rest.BURoleService	Set the business role approval policy
1017	com.netiq.iac.server.rest.BURoleService	Return list of users that match the membership criteria for the specified business role
1018	com.netiq.iac.server.rest.BURoleService	Get the user count for a business role
1019	com.netiq.iac.server.rest.BURoleService	Get the detection status for a business role
1020	com.netiq.iac.server.rest.BURoleService	Get the last detection time for a business role
1021	com.netiq.iac.server.rest.BURoleService	Return list of users that match the membership criteria for a business role
1022	com.netiq.iac.server.rest.BURoleService	Return list of permissions for users that match the membership criteria for a business role
1023	com.netiq.iac.server.rest.BURoleService	Return list of technical roles for users that match the membership criteria for a business role
1024	com.netiq.iac.server.rest.BURoleService	Return list of applications for users that match the membership criteria for a business role
1025	com.netiq.iac.server.rest.BURoleService	Get information about roles that authorize a resource (permission technical role or account)
1026	com.netiq.iac.server.rest.BURoleService	Start downloading the Business Roles
1027	com.netiq.iac.server.rest.BURoleService	Get the download file
1028	com.netiq.iac.server.rest.BURoleService	Check the status of a download
1029	com.netiq.iac.server.rest.BURoleService	Cancel a download
1030	com.netiq.iac.server.rest.BURoleService	Perform an import preview which will attempt to resolve objects and object references
1031	com.netiq.iac.server.rest.BURoleService	Resolve Applications in the import document

1032	com.netiq.iac.server.rest.BURoleService	Perform an import
1033	com.netiq.iac.server.rest.BURoleService	Preview what would change if the specified business role were to be published
1034	com.netiq.iac.server.rest.BURoleService	Preview what would change if the specified business role were to be deactivated
1035	com.netiq.iac.server.rest.BURoleService	Return list of business roles filtered by id list if provided
1036	com.netiq.iac.server.rest.BURoleService	Perform a query of the user catalog mining values of the specified attributes
1037	com.netiq.iac.server.rest.BURoleService	Create the mined business roles
1038	com.netiq.iac.server.rest.BURoleService	Check the status of a mining request
1039	com.netiq.iac.server.rest.BURoleService	Start analysis of the given Business Roles
1040	com.netiq.iac.server.rest.BURoleService	Check the status of a analysis
1041	com.netiq.iac.server.rest.BURoleService	Get the results of a analysis
1042	com.netiq.iac.server.rest.BURoleService	Get the users associated with the given analysis and authorization type
1043	com.netiq.iac.server.rest.BURoleService	Cancel a analysis
1044	com.netiq.iac.server.rest.BURoleService	Delete the analysis results
1045	com.netiq.iac.server.rest.BURoleService	Get the list of business roles that reference the business role specified by the given id
1046	com.netiq.iac.server.rest.BURoleService	Get the list of business roles that reference the business role specified by the given id
1047	com.netiq.iac.server.rest.BURoleService	Start downloading the analysis results as a CSV
1048	com.netiq.iac.server.rest.BURoleService	Return effectiveness of the business role permission authorizations
1049	com.netiq.iac.server.rest.BURoleService	Return effectiveness of the business role technical role authorization
1050	com.netiq.iac.server.rest.BURoleService	Return effectiveness of the business role application authorization
1101	com.netiq.iac.server.rest.CertificationPolicyService	Return list of certification policies
1102	com.netiq.iac.server.rest.CertificationPolicyService	Get certification policy by specified id or unigueid
1103	com.netiq.iac.server.rest.CertificationPolicyService	Update certification policy
1104	com.netiq.iac.server.rest.CertificationPolicyService	Create new certification policy
1105	com.netiq.iac.server.rest.CertificationPolicyService	Delete certification policy

1106	com.netiq.iac.server.rest.CertificationPolicyService	Get certification policy status
1107	com.netiq.iac.server.rest.CertificationPolicyService	Calculate certification policy
1108	com.netiq.iac.server.rest.CertificationPolicyService	Get certification policy calculation status
1109	com.netiq.iac.server.rest.CertificationPolicyService	Get certification policy violations by certification policy unique id
1110	com.netiq.iac.server.rest.CertificationPolicyService	Get certification policy violations by certification policy unique id
1111	com.netiq.iac.server.rest.CertificationPolicyService	Make request to cancel calculation task
1201	com.netiq.iac.server.rest.CollectionService	Get Collections
1202	com.netiq.iac.server.rest.CollectionService	Get data collection for specified id
1203	com.netiq.iac.server.rest.CollectionService	Get data collection details for specified id
1204	com.netiq.iac.server.rest.CollectionService	Make request to stop collection
1205	com.netiq.iac.server.rest.CollectionService	Get Data Source Collections
1206	com.netiq.iac.server.rest.CollectionService	Get data source collection for specified id
1301	com.netiq.iac.server.rest.CollectorService	Get all collectors
1302	com.netiq.iac.server.rest.CollectorService	Get specified data collector
1303	com.netiq.iac.server.rest.CollectorService	Delete specified data collector
1304	com.netiq.iac.server.rest.CollectorService	Update data collector
1305	com.netiq.iac.server.rest.CollectorService	Update data collector view with test collection settings
1306	com.netiq.iac.server.rest.CollectorService	Update data collector
1307	com.netiq.iac.server.rest.CollectorService	Create schedule for collector
1308	com.netiq.iac.server.rest.CollectorService	Add new data collector
1309	com.netiq.iac.server.rest.CollectorService	Get the event ingestion status for the argument collector
1310	com.netiq.iac.server.rest.CollectorService	Returns summary of most recent RTC event ingestions
1401	com.netiq.iac.server.rest.ConfigurationService	Get application data curation configuration
1402	com.netiq.iac.server.rest.ConfigurationService	Update application data curation configuration
1403	com.netiq.iac.server.rest.ConfigurationService	Get application collection configuration
1404	com.netiq.iac.server.rest.ConfigurationService	Get notification configuration settings
1405	com.netiq.iac.server.rest.ConfigurationService	Update application collection configuration collection class and
1406	com.netiq.iac.server.rest.ConfigurationService	Get application reporting configuration

1407	com.netiq.iac.server.rest.ConfigurationService	Update application rpt configuration collection class and
1408	com.netiq.iac.server.rest.ConfigurationService	Get external provisioning RBPM server details
1409	com.netiq.iac.server.rest.ConfigurationService	Update external provisioning configuration RBPM server details
1410	com.netiq.iac.server.rest.ConfigurationService	Get verification configuration
1411	com.netiq.iac.server.rest.ConfigurationService	Update verification configuration
1412	com.netiq.iac.server.rest.ConfigurationService	Get the application authentication server configuration
1413	com.netiq.iac.server.rest.ConfigurationService	Returns the workflows. Format of the content is XML in the Identity Manager Designer format
1414	com.netiq.iac.server.rest.ConfigurationService	save or update workflow prds
1415	com.netiq.iac.server.rest.ConfigurationService	Get account classifications
1416	com.netiq.iac.server.rest.ConfigurationService	Get an account classification
1417	com.netiq.iac.server.rest.ConfigurationService	Update an Account Category
1418	com.netiq.iac.server.rest.ConfigurationService	create a new account category
1419	com.netiq.iac.server.rest.ConfigurationService	Delete an Account Category
1420	com.netiq.iac.server.rest.ConfigurationService	Get UI configuration. This returns UI configuration properties with prefix com.netiq.iac.ui
1421	com.netiq.iac.server.rest.ConfigurationService	Update UI configuration properties
1422	com.netiq.iac.server.rest.ConfigurationService	Get Import/Export configuration. This returns uniqueness attribute configuration properties for users groups and permissions
1423	com.netiq.iac.server.rest.ConfigurationService	Update UI configuration properties
1424	com.netiq.iac.server.rest.ConfigurationService	Get decision support configuration
1425	com.netiq.iac.server.rest.ConfigurationService	Update Decision Support Configuration
1426	com.netiq.iac.server.rest.ConfigurationService	Get Similarity Profile configuration
1427	com.netiq.iac.server.rest.ConfigurationService	Update Similarity Profile
1428	com.netiq.iac.server.rest.ConfigurationService	Get Role Mining configuration
1429	com.netiq.iac.server.rest.ConfigurationService	Update Role Mining analytics Configuration
1430	com.netiq.iac.server.rest.ConfigurationService	Get all review item action reasons for particular action type (e.g
1431	com.netiq.iac.server.rest.ConfigurationService	Get all review item action reasons for particular action type (e.g



1432	com.netiq.iac.server.rest.ConfigurationService	Add review item action reason
1433	com.netiq.iac.server.rest.ConfigurationService	Get a specific review item action reason by id
1434	com.netiq.iac.server.rest.ConfigurationService	Delete a specified review item action reason
1435	com.netiq.iac.server.rest.ConfigurationService	Update a specified review item action reason
1436	com.netiq.iac.server.rest.ConfigurationService	Get review display global configuration settings
1437	com.netiq.iac.server.rest.ConfigurationService	Sets review display configuration setting
1438	com.netiq.iac.server.rest.ConfigurationService	Get review display global configuration settings for specified review (by unique id) e.g. iac.review.a7f81508f57d4909a4d4b987fc37048e.display.t ask.user_access
1439	com.netiq.iac.server.rest.ConfigurationService	Delete configuration settings for specified review (by unique id) e.g. iac.review.a7f81508f57d4909a4d4b987fc37048e.display.t ask.user_access
1440	com.netiq.iac.server.rest.ConfigurationService	Get Fulfillment Context configuration
1441	com.netiq.iac.server.rest.ConfigurationService	Update Fulfillment Context configuration
1501	com.netiq.iac.server.rest.CoverageMapService	Retrieve the list of coverage maps (old pre-3.0 routine)
1502	com.netiq.iac.server.rest.CoverageMapService	Retrieve the list of coverage maps
1503	com.netiq.iac.server.rest.CoverageMapService	Get the coverage map with the given ID
1504	com.netiq.iac.server.rest.CoverageMapService	Store a new coverage map definition
1505	com.netiq.iac.server.rest.CoverageMapService	Store a new coverage map definition using MULTIPART_FORM_DATA media
1506	com.netiq.iac.server.rest.CoverageMapService	Store an updated coverage map definition using multipart form data containing a reference to a CSV file
1507	com.netiq.iac.server.rest.CoverageMapService	Store an updated coverage map definition
1508	com.netiq.iac.server.rest.CoverageMapService	Delete a coverage map
1601	com.netiq.iac.server.rest.DelegationService	Resolve the delegate for the specified user
1602	com.netiq.iac.server.rest.DelegationService	Get delegate mappings
1603	com.netiq.iac.server.rest.DelegationService	Get specified delegate mapping
1604	com.netiq.iac.server.rest.DelegationService	Get count of total delegate mappings and active mappings
1605	com.netiq.iac.server.rest.DelegationService	Create new delegate mapping

1606	com.netiq.iac.server.rest.DelegationService	Update existing delegate mapping
1607	com.netiq.iac.server.rest.DelegationService	Delete a specified delegate mapping
1608	com.netiq.iac.server.rest.DelegationService	Update active status of one or more delegate mappings
1701	com.netiq.iac.server.rest.EmailTemplateService	Retrieves a list of email templates and outputs them in JSON format
1702	com.netiq.iac.server.rest.EmailTemplateService	Gets the email templates known to the system and outputs them in an xml
1703	com.netiq.iac.server.rest.EmailTemplateService	Gets the email templates with the matching template identifier and outputs them in an xml
1704	com.netiq.iac.server.rest.EmailTemplateService	Adds a set of email templates
1705	com.netiq.iac.server.rest.EmailTemplateService	Deletes an email template
1706	com.netiq.iac.server.rest.EmailTemplateService	This routine will send out a preview email
1801	com.netiq.iac.server.rest.FactService	Start downloading the collected metrics
1802	com.netiq.iac.server.rest.FactService	Get the download file
1803	com.netiq.iac.server.rest.FactService	Check the status of a download
1804	com.netiq.iac.server.rest.FactService	Cancel a download
1901	com.netiq.iac.server.rest.FulfillmentService	Get the fulfillment items
1902	com.netiq.iac.server.rest.FulfillmentService	Update the fulfillment item status
1903	com.netiq.iac.server.rest.FulfillmentService	Get fulfillment item information
1904	com.netiq.iac.server.rest.FulfillmentService	Get the fulfillment items
2001	com.netiq.iac.server.rest.IdentitySourceService	Get all identity sources
2002	com.netiq.iac.server.rest.IdentitySourceService	Get specified identity source
2003	com.netiq.iac.server.rest.IdentitySourceService	Delete specified identity source
2004	com.netiq.iac.server.rest.IdentitySourceService	Update identity source
2005	com.netiq.iac.server.rest.IdentitySourceService	Start collections for collectors associated to the specified identity
2006	com.netiq.iac.server.rest.IdentitySourceService	Add new identity source
2007	com.netiq.iac.server.rest.IdentitySourceService	Gets the unification configuration
2008	com.netiq.iac.server.rest.IdentitySourceService	Update unification configuration
2009	com.netiq.iac.server.rest.IdentitySourceService	Will return minimal information on unifications
2010	com.netiq.iac.server.rest.IdentitySourceService	Gets the unification by id
2011	com.netiq.iac.server.rest.IdentitySourceService	Stops the unification by id
2012	com.netiq.iac.server.rest.IdentitySourceService	Create schedule for unification

2013	com.netiq.iac.server.rest.IdentitySourceService	Export identity source
2014	com.netiq.iac.server.rest.IdentitySourceService	Get data sources with values for the passed entity
2015	com.netiq.iac.server.rest.IdentitySourceService	Start data source download for the specified id
2016	com.netiq.iac.server.rest.IdentitySourceService	Get the download file
2017	com.netiq.iac.server.rest.IdentitySourceService	Check the status of a download
2018	com.netiq.iac.server.rest.IdentitySourceService	Cancel a download
2101	com.netiq.iac.server.rest.LocalizationService	Get the locales supported by the server
2102	com.netiq.iac.server.rest.LocalizationService	Download all the localized labels in a certain locale
2103	com.netiq.iac.server.rest.LocalizationService	Update localized labels in a certain locale
2201	com.netiq.iac.server.rest.ProvisioningRestService	Get the configuration targets
2202	com.netiq.iac.server.rest.ProvisioningRestService	Get a configuration target
2203	com.netiq.iac.server.rest.ProvisioningRestService	create a configuration target
2204	com.netiq.iac.server.rest.ProvisioningRestService	update a configuration target
2205	com.netiq.iac.server.rest.ProvisioningRestService	delete a configuration target
2206	com.netiq.iac.server.rest.ProvisioningRestService	Get a configuration template which has been localized
2207	com.netiq.iac.server.rest.ProvisioningRestService	Get the changeset associated with the changeset id
2208	com.netiq.iac.server.rest.ProvisioningRestService	Get the open tasks for this user for this changeset
2209	com.netiq.iac.server.rest.ProvisioningRestService	Get the open tasks for this user for all changesets
2210	com.netiq.iac.server.rest.ProvisioningRestService	Update the change request item status
2211	com.netiq.iac.server.rest.ProvisioningRestService	Get the change item associated with the id
2212	com.netiq.iac.server.rest.ProvisioningRestService	Update the change set status
2213	com.netiq.iac.server.rest.ProvisioningRestService	Update the change item status based on the fulfuller action
2214	com.netiq.iac.server.rest.ProvisioningRestService	Update the change item status based on the fulfuller action
2215	com.netiq.iac.server.rest.ProvisioningRestService	Get the change item action as per id
2216	com.netiq.iac.server.rest.ProvisioningRestService	Start an external provisioning workflow
2217	com.netiq.iac.server.rest.ProvisioningRestService	Transform the auto-provisioning change items to manual prov items
2218	com.netiq.iac.server.rest.ProvisioningRestService	Retry provisioning for a changeset/application/change request item
2219	com.netiq.iac.server.rest.ProvisioningRestService	terminate a provisioning changeset set it to error state

2220	com.netiq.iac.server.rest.ProvisioningRestService	terminate a provisioning changeitem set it to error state
2221	com.netiq.iac.server.rest.ProvisioningRestService	Start auto provisioning for an application
2222	com.netiq.iac.server.rest.ProvisioningRestService	Start auto provisioning for a list of changeItems
2223	com.netiq.iac.server.rest.ProvisioningRestService	start auto-provisioning for all the items in the changeset
2224	com.netiq.iac.server.rest.ProvisioningRestService	start the provisioning change item verification
2301	com.netiq.iac.server.rest.RequestService	Get the business roles a user belongs to
2302	com.netiq.iac.server.rest.RequestService	Get the business roles have authorized requestable items for the specified user
2303	com.netiq.iac.server.rest.RequestService	Get items in the specified business role that are authorized for the specified user
2304	com.netiq.iac.server.rest.RequestService	Get requests initiated by the authenticated user
2305	com.netiq.iac.server.rest.RequestService	Get permission analytics for the specified user
2306	com.netiq.iac.server.rest.RequestService	Get application analytics for the specified user
2307	com.netiq.iac.server.rest.RequestService	Get permissions for the specified user
2308	com.netiq.iac.server.rest.RequestService	Get the list of SoD violations for the user that the specified permission contributes to
2309	com.netiq.iac.server.rest.RequestService	Get the SoD policy information including information about whether the specified user has
2310	com.netiq.iac.server.rest.RequestService	Gets the list of values for a particular permission
2311	com.netiq.iac.server.rest.RequestService	Gets the list of values for a particular dynamic permission parameter
2312	com.netiq.iac.server.rest.RequestService	Get the assigned parameters for the specified user and dynamic permission
2313	com.netiq.iac.server.rest.RequestService	Get permission metadata for the specified user
2314	com.netiq.iac.server.rest.RequestService	Get application metadata for the specified user
2315	com.netiq.iac.server.rest.RequestService	Get managed users. Can include self and direct or downline reports
2316	com.netiq.iac.server.rest.RequestService	Return list of requestable applications
2317	com.netiq.iac.server.rest.RequestService	Get the list of requestable permissions for an application
2318	com.netiq.iac.server.rest.RequestService	Get the list of requestable technical roles
2319	com.netiq.iac.server.rest.RequestService	Approve/Reject approval item tasks

2320	com.netiq.iac.server.rest.RequestService	Get approval item tasks for the authenticated user
2321	com.netiq.iac.server.rest.RequestService	This callback is from the workflow after all approvals are complete
2322	com.netiq.iac.server.rest.RequestService	Request permission
2323	com.netiq.iac.server.rest.RequestService	Retract resource request item
2324	com.netiq.iac.server.rest.RequestService	Retry resource request approval workflow start
2325	com.netiq.iac.server.rest.RequestService	reassign approver
2326	com.netiq.iac.server.rest.RequestService	Find in flight approvals
2327	com.netiq.iac.server.rest.RequestService	Save change Request Item Decision Status
2328	com.netiq.iac.server.rest.RequestService	Get Change Request Item Decision Status
2329	com.netiq.iac.server.rest.RequestService	Save user's request shopping cart content
2330	com.netiq.iac.server.rest.RequestService	Get user's request shopping cart content
2331	com.netiq.iac.server.rest.RequestService	Delete user's request shopping cart
2332	com.netiq.iac.server.rest.RequestService	Get list of SoDs that would be violated if the specified user were granted the specified permission
2333	com.netiq.iac.server.rest.RequestService	Get list of SoDs that would be violated if the specified user were granted the specified technical role
2334	com.netiq.iac.server.rest.RequestService	Get information about a request item
2401	com.netiq.iac.server.rest.ReviewDefinitionService	Create review definition
2402	com.netiq.iac.server.rest.ReviewDefinitionService	Get all review definitions
2403	com.netiq.iac.server.rest.ReviewDefinitionService	Get a review definition for a particular review instance
2404	com.netiq.iac.server.rest.ReviewDefinitionService	Get specified review definition
2405	com.netiq.iac.server.rest.ReviewDefinitionService	Update review definition
2406	com.netiq.iac.server.rest.ReviewDefinitionService	Delete specified review definition
2407	com.netiq.iac.server.rest.ReviewDefinitionService	Get custom display attributes for reviewer item
2408	com.netiq.iac.server.rest.ReviewDefinitionService	Save custom attributes to be displayed on a review item
2409	com.netiq.iac.server.rest.ReviewDefinitionService	Start review
2410	com.netiq.iac.server.rest.ReviewDefinitionService	Get review instances for specified review definition
2411	com.netiq.iac.server.rest.ReviewDefinitionService	Start the review definition download

2412	com.netiq.iac.server.rest.ReviewDefinitionService	Get the download file
2413	com.netiq.iac.server.rest.ReviewDefinitionService	Check the status of a download
2414	com.netiq.iac.server.rest.ReviewDefinitionService	Cancel a download
2415	com.netiq.iac.server.rest.ReviewDefinitionService	Perform an import preview which will attempt to resolve objects and object references
2416	com.netiq.iac.server.rest.ReviewDefinitionService	Resolve Applications in the import document
2417	com.netiq.iac.server.rest.ReviewDefinitionService	Perform an import
2501	com.netiq.iac.server.rest.ReviewInstanceService	Get specified review instance
2502	com.netiq.iac.server.rest.ReviewInstanceService	Update expected end-date or review owner on running review instance
2503	com.netiq.iac.server.rest.ReviewInstanceService	Reassign review items for specified review instance
2504	com.netiq.iac.server.rest.ReviewInstanceService	Get workflow tasks for review instance
2505	com.netiq.iac.server.rest.ReviewInstanceService	Get review items for specified review instance
2506	com.netiq.iac.server.rest.ReviewInstanceService	get the review instance history for a review passing in the unique review id
2507	com.netiq.iac.server.rest.ReviewInstanceService	Override items
2508	com.netiq.iac.server.rest.ReviewInstanceService	Get activity for a review instance items
2509	com.netiq.iac.server.rest.ReviewInstanceService	Get fulfillment item(s) for specified review item
2510	com.netiq.iac.server.rest.ReviewInstanceService	Get list of shared account users
2511	com.netiq.iac.server.rest.ReviewInstanceService	Update review instance status
2512	com.netiq.iac.server.rest.ReviewInstanceService	Update status of materialized view used for review instance
2513	com.netiq.iac.server.rest.ReviewInstanceService	Routine to retrieve the notifications that will be generated for a given review instance
2514	com.netiq.iac.server.rest.ReviewInstanceService	Send a preview email for the specified addressee notification instance and review instance combination
2515	com.netiq.iac.server.rest.ReviewInstanceService	Start review item download
2516	com.netiq.iac.server.rest.ReviewInstanceService	Get the download file
2517	com.netiq.iac.server.rest.ReviewInstanceService	Check the status of a download
2518	com.netiq.iac.server.rest.ReviewInstanceService	Cancel cleanup the download CSV file
2601	com.netiq.iac.server.rest.ReviewItemInfoService	get potential causes for a user permission assignment

2602	com.netiq.iac.server.rest.ReviewItemInfoService	Get child roles and resources (with values) associated with RBPM Role
2701	com.netiq.iac.server.rest.ReviewMonitorService	Get active or historical reviews the logged in user has access to
2702	com.netiq.iac.server.rest.ReviewMonitorService	Get the active review count the user has access to
2703	com.netiq.iac.server.rest.ReviewMonitorService	Get the unique reviewer groups for a particular review instance
2704	com.netiq.iac.server.rest.ReviewMonitorService	Gets the line items for a reviewer group
2801	com.netiq.iac.server.rest.ReviewReviewerService	Get review items for reviewer and review instance
2802	com.netiq.iac.server.rest.ReviewReviewerService	Get grouping of tasks be either user application or item type
2803	com.netiq.iac.server.rest.ReviewReviewerService	Get status information for specific reviewer tasks
2804	com.netiq.iac.server.rest.ReviewReviewerService	Get set members of reviewer instance
2805	com.netiq.iac.server.rest.ReviewReviewerService	Get set members of reviewer instance
2806	com.netiq.iac.server.rest.ReviewReviewerService	Used to declare (i.e
2901	com.netiq.iac.server.rest.ReviewTargetSpecService	Preview the target specification
2902	com.netiq.iac.server.rest.ReviewTargetSpecService	Start download of target criteria CSV
2903	com.netiq.iac.server.rest.ReviewTargetSpecService	Get the download file
2904	com.netiq.iac.server.rest.ReviewTargetSpecService	Check the status of a download
2905	com.netiq.iac.server.rest.ReviewTargetSpecService	Cancel cleanup the download CSV file
3001	com.netiq.iac.server.rest.RoleService	Return list of logical role policies also include the information about
3002	com.netiq.iac.server.rest.RoleService	Get the role policy with the given ID
3003	com.netiq.iac.server.rest.RoleService	Get the calculated attribute (attrName) for the given role policy ID
3004	com.netiq.iac.server.rest.RoleService	Bulk delete the technical roles with the given IDs
3005	com.netiq.iac.server.rest.RoleService	Delete the role policy with the given ID
3006	com.netiq.iac.server.rest.RoleService	Create a role policy
3007	com.netiq.iac.server.rest.RoleService	Update logical role policy
3008	com.netiq.iac.server.rest.RoleService	Estimate users containing all the permissions of the role policy
3009	com.netiq.iac.server.rest.RoleService	Return list of users that are in a particular role
3010	com.netiq.iac.server.rest.RoleService	Sort the permissions contained in the given role policy

3011	com.netiq.iac.server.rest.RoleService	Find existing role policies having the same permissions as the given role policy
3012	com.netiq.iac.server.rest.RoleService	Return list of users that are in a particular role
3013	com.netiq.iac.server.rest.RoleService	Get the SoD policies that reference the specified role
3014	com.netiq.iac.server.rest.RoleService	Start the technical role download
3015	com.netiq.iac.server.rest.RoleService	Get the download file
3016	com.netiq.iac.server.rest.RoleService	Check the status of a download
3017	com.netiq.iac.server.rest.RoleService	Cancel a download
3018	com.netiq.iac.server.rest.RoleService	Perform an import preview which will attempt to resolve objects and object references
3019	com.netiq.iac.server.rest.RoleService	Resolve Applications in the import document
3020	com.netiq.iac.server.rest.RoleService	Perform an import
3021	com.netiq.iac.server.rest.RoleService	Create roles from a mining operation
3022	com.netiq.iac.server.rest.RoleService	Check the status of a mining request
3023	com.netiq.iac.server.rest.RoleService	Return list of logical role policies also include the information about
3101	com.netiq.iac.server.rest.SchemaService	Gets attributes for the specified class(entityType)
3102	com.netiq.iac.server.rest.SchemaService	Update attribute definition of a class(entityType)
3103	com.netiq.iac.server.rest.SchemaService	Get a specific attribute definition including (for an extended attribute) whether it is in use
3104	com.netiq.iac.server.rest.SchemaService	Get a specific attribute definition by entityType (class) and attribute key
3105	com.netiq.iac.server.rest.SchemaService	Create a new extended attribute definition
3106	com.netiq.iac.server.rest.SchemaService	Update a specific attribute definition
3107	com.netiq.iac.server.rest.SchemaService	Delete a specific attribute definition
3108	com.netiq.iac.server.rest.SchemaService	Get the distinct values of the passed attribute id
3109	com.netiq.iac.server.rest.SchemaService	Start an attribute download for the specified class (entityType)
3110	com.netiq.iac.server.rest.SchemaService	Get the download file
3111	com.netiq.iac.server.rest.SchemaService	Check the status of a download
3112	com.netiq.iac.server.rest.SchemaService	Cancel a download
3113	com.netiq.iac.server.rest.SchemaService	Perform an import
3114	com.netiq.iac.server.rest.SchemaService	Perform an import



3201	com.netiq.iac.server.rest.SoDService	Return list of SoD policies also include the information about
3202	com.netiq.iac.server.rest.SoDService	Get the SoD policy with the given ID
3203	com.netiq.iac.server.rest.SoDService	Get the calculated attribute (attrName) for the given SoD policy ID
3204	com.netiq.iac.server.rest.SoDService	Delete the Sod policy with the given ID
3205	com.netiq.iac.server.rest.SoDService	Create a SoD policy
3206	com.netiq.iac.server.rest.SoDService	Update SoD policy
3207	com.netiq.iac.server.rest.SoDService	Estimate users containing matching the conditions of the SoD policy
3208	com.netiq.iac.server.rest.SoDService	Return list of users that are in violation of a particular SoD policy
3209	com.netiq.iac.server.rest.SoDService	Return list of accounts that are in violation of a particular SoD policy
3210	com.netiq.iac.server.rest.SoDService	Get the SOD case information associated with a SOD policy and a particular user if any
3211	com.netiq.iac.server.rest.SoDService	Get the SOD case information associated with a SOD policy and a particular account if any
3212	com.netiq.iac.server.rest.SoDService	Add a SoD case action to a SOD case
3213	com.netiq.iac.server.rest.SoDService	Get the SOD case information
3214	com.netiq.iac.server.rest.SoDService	Return list of SoD casesalso include the information about the case
3215	com.netiq.iac.server.rest.SoDService	Start the SoD download
3216	com.netiq.iac.server.rest.SoDService	Get the download file
3217	com.netiq.iac.server.rest.SoDService	Check the status of a download
3218	com.netiq.iac.server.rest.SoDService	Cancel a download
3219	com.netiq.iac.server.rest.SoDService	Perform an import preview which will attempt to resolve objects and object references
3220	com.netiq.iac.server.rest.SoDService	Resolve Applications in the import document
3221	com.netiq.iac.server.rest.SoDService	Perform an import
3222	com.netiq.iac.server.rest.SoDService	Get the list of SoD policies that would be violated if a user had the permissions and technical roles specified in sodCriteria

3223	com.netiq.iac.server.rest.SoDService	Get the list of potential new SoD violations that would occur if the users specified in sodCriteria
3224	com.netiq.iac.server.rest.SoDService	Get the SoD violation counts
3225	com.netiq.iac.server.rest.SoDService	Get the list of current SoD violations for the users specified in sodCriteria
3226	com.netiq.iac.server.rest.SoDService	Get the list of SoD violations for the user that the specified permission contributes to
3227	com.netiq.iac.server.rest.SoDService	Get the list of SoD violations for the user that the specified technical role contributes to
3228	com.netiq.iac.server.rest.SoDService	Get the list of potential SoD violations that would occur for the user if the user were to obtain
3229	com.netiq.iac.server.rest.SoDService	Get the list of potential SoD violations that would occur for the user if the user were to obtain