

Reporting Guide

NetIQ[®] Reporting Center

April 2012



Legal Notice

THIS DOCUMENT AND THE SOFTWARE DESCRIBED IN THIS DOCUMENT ARE FURNISHED UNDER AND ARE SUBJECT TO THE TERMS OF A LICENSE AGREEMENT OR A NON-DISCLOSURE AGREEMENT. EXCEPT AS EXPRESSLY SET FORTH IN SUCH LICENSE AGREEMENT OR NON-DISCLOSURE AGREEMENT, NETIQ CORPORATION PROVIDES THIS DOCUMENT AND THE SOFTWARE DESCRIBED IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SOME STATES DO NOT ALLOW DISCLAIMERS OF EXPRESS OR IMPLIED WARRANTIES IN CERTAIN TRANSACTIONS; THEREFORE, THIS STATEMENT MAY NOT APPLY TO YOU.

This document and the software described in this document may not be lent, sold, or given away without the prior written permission of NetIQ Corporation, except as otherwise permitted by law. Except as expressly set forth in such license agreement or non-disclosure agreement, no part of this document or the software described in this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, or otherwise, without the prior written consent of NetIQ Corporation. Some companies, names, and data in this document are used for illustration purposes and may not represent real companies, individuals, or data.

This document could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein. These changes may be incorporated in new editions of this document. NetIQ Corporation may make improvements in or changes to the software described in this document at any time.

© 2012 NetIQ Corporation and its affiliates. All Rights Reserved.

U.S. Government Restricted Rights: If the software and documentation are being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), in accordance with 48 C.F.R. 227.7202-4 (for Department of Defense (DOD) acquisitions) and 48 C.F.R. 2.101 and 12.212 (for non-DOD acquisitions), the government's rights in the software and documentation, including its rights to use, modify, reproduce, release, perform, display or disclose the software or documentation, will be subject in all respects to the commercial license rights and restrictions provided in the license agreement.

Check Point, FireWall-1, VPN-1, Provider-1, and SiteManager-1 are trademarks or registered trademarks of Check Point Software Technologies Ltd.

ActiveAudit, ActiveView, Aegis, AppManager, Change Administrator, Change Guardian, Compliance Suite, the cube logo design, Directory and Resource Administrator, Directory Security Administrator, Domain Migration Administrator, Exchange Administrator, File Security Administrator, Group Policy Administrator, Group Policy Guardian, Group Policy Suite, IntelliPolicy, Knowledge Scripts, NetConnect, NetIQ, the NetIQ logo, PSAudit, PSDetect, PSPasswordManager, PSSecure, Secure Configuration Manager, Security Administration Suite, Security Manager, Server Consolidator, VigilEnt, and Vivinet are trademarks or registered trademarks of NetIQ Corporation or its subsidiaries in the USA. All other company and product names mentioned are used only for identification purposes and may be trademarks or registered trademarks of their respective companies.

For purposes of clarity, any module, adapter or other similar material ("Module") is licensed under the terms and conditions of the End User License Agreement for the applicable version of the NetIQ product or software to which it relates or interoperates with, and by accessing, copying or using a Module you agree to be bound by such terms. If you do not agree to the terms of the End User License Agreement you are not authorized to use, access or copy a Module and you must destroy all copies of the Module and contact NetIQ for further instructions.

This product claims FIPS compliance by use of one or more of the Microsoft cryptographic components listed below. These components were certified by Microsoft and obtained FIPS certificates via the CMVP.

893 Windows Vista Enhanced Cryptographic Provider (RSAENH)

894 Windows Vista Enhanced DSS and Diffie-Hellman Cryptographic Provider (DSSENH)

989 Windows XP Enhanced Cryptographic Provider (RSAENH)

990 Windows XP Enhanced DSS and Diffie-Hellman Cryptographic Provider (DSSENH)

997 Microsoft Windows XP Kernel Mode Cryptographic Module (FIPS.SYS)

1000 Microsoft Windows Vista Kernel Mode Security Support Provider Interface (ksecdd.sys)

1001 Microsoft Windows Vista Cryptographic Primitives Library (bcrypt.dll)

1002 Windows Vista Enhanced Cryptographic Provider (RSAENH)

1003 Windows Vista Enhanced DSS and Diffie-Hellman Cryptographic Provider (DSSENH)

1006 Windows Server 2008 Code Integrity (ci.dll)

1007 Microsoft Windows Server 2008 Kernel Mode Security Support Provider Interface (ksecdd.sys)

1008 Microsoft Windows Server 2008

1009 Windows Server 2008 Enhanced DSS and Diffie-Hellman Cryptographic Provider (DSSENH)

1010 Windows Server 2008 Enhanced Cryptographic Provider

1012 Windows Server 2003 Enhanced Cryptographic Provider (RSAENH)

This product may also claim FIPS compliance by use of one or more of the Open SSL cryptographic components listed below. These components were certified by the Open Source Software Institute and obtained the FIPS certificates as indicated.

918 - OpenSSL FIPS Object Module v1.1.2 - 02/29/2008 140-2 L1

1051 - OpenSSL FIPS Object Module v 1.2 - 11/17/2008 140-2 L1

1111 - OpenSSL FIPS Runtime Module v 1.2 - 4/03/2009 140-2 L1

Note: Windows FIPS algorithms used in this product may have only been tested when the FIPSmode bit was set. While the modules have valid certificates at the time of this product release, it is the user's responsibility to validate the current module status.

EXCEPT AS MAY BE EXPLICITLY SET FORTH IN THE APPLICABLE END USER LICENSE AGREEMENT, NOTHING HEREIN SHALL CONSTITUTE A WARRANTY AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS, AND WARRANTIES INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OR CONDITION OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED TO THE EXTENT ALLOWED BY APPLICABLE LAW AND ARE EXPRESSLY DISCLAIMED BY NETIQ, ITS SUPPLIERS AND LICENSORS.

Contents

About this Book and the Library.....	vii
About NetIQ Corporation	ix

Chapter 1

Introduction	1
What is Reporting Center?.....	1
How Reporting Center Works.....	2
Console.....	2
Configuration Database.....	3
Web Service.....	3
Reporting Services Data Extension.....	3

Chapter 2

Installing Reporting Center	5
System Requirements.....	5
Planning Your Installation.....	6
Account Requirements.....	6
Installation Prerequisites.....	7
The Order of Your Installation.....	7
Configuration Database Considerations.....	7
Reporting Services Data Extension Considerations.....	8
Upgrading Reporting Center.....	8
Upgrade Considerations.....	8
Configuring SQL Server Reporting Services.....	8
Configuring Report Deployment in SSRS.....	9
Configuring Email in SSRS.....	9

Chapter 3

Getting Started	11
Starting Reporting Center.....	11
Navigating Reporting Center.....	11
Navigation Pane.....	12
Results Pane.....	12
Tasks Pane.....	12
Using the Reporting Center Console.....	12
Managing Data Source Connections.....	12
What's Next?.....	13

Chapter 4	
Working with Reporting Center Reports	15
Understanding Reports	15
Setting Report Contexts	15
Setting Report Properties	16
Chart Limitations	17
Exporting Report Definitions	18
Using Dashboard Reports	18
Dashboard Presentation	18
Shared Contexts	18
Deploying Reports	19
SSRS Limitations	19
Deploying a Report to SSRS	20
Chapter 5	
Configuring Reporting Center Security	21
Understanding Reporting Center Security	21
Understanding Users and User Groups	22
Understanding Permission Sets	22
Assigning Security to Objects	23
Tips for Planning Your Security Model	24
Applying Security	24
Appendix A	
Troubleshooting	25
General Web Service and Logon Issues	25
Reporting Center Web Service Unavailable	26
No Data Found In a Report	27
Appendix B	
FIPS Solutions	29
Installation and Configuration Issues	29
SSRS Report Manager Issue	30

About this Book and the Library

The *Reporting Guide* provides conceptual information about the NetIQ Reporting Center (Reporting Center) product. This book defines terminology and includes implementation scenarios.

Intended Audience

This book provides information for individuals responsible for understanding reporting concepts and implementing an effective reporting environment. It also provides information about creating and distributing meaningful reports.

Other Information in the Library

The library provides the following information resources:

Help

Provides context-sensitive information and step-by-step guidance for common tasks, as well as descriptions of each window.

Release Notes

Provides information about enhancements to Reporting Center since the last release, and lists any known issues for this release.

Conventions

The library uses consistent conventions to help you identify items throughout the documentation. The following table summarizes these conventions.

Convention	Use
Bold	<ul style="list-style-type: none">• Window and menu items• Technical terms, when introduced
<i>Italics</i>	<ul style="list-style-type: none">• Book and CD-ROM titles• Variable names and values• Emphasized words
Fixed Font	<ul style="list-style-type: none">• File and folder names• Commands and code examples• Text you must type• Text (output) displayed in the command-line interface
Brackets, such as <i>[value]</i>	<ul style="list-style-type: none">• Optional parameters of a command
Braces, such as <i>{value}</i>	<ul style="list-style-type: none">• Required parameters of a command
Logical OR, such as <i>value1 value2</i>	<ul style="list-style-type: none">• Exclusive parameters. Choose one parameter.

About NetIQ Corporation

NetIQ, an Attachmate business, is a global leader in systems and security management. With more than 12,000 customers in over 60 countries, NetIQ solutions maximize technology investments and enable IT process improvements to achieve measurable cost savings. The company's portfolio includes award-winning management products for IT Process Automation, Systems Management, Security Management, Configuration Audit and Control, Enterprise Administration, and Unified Communications Management. For more information, please visit www.netiq.com.

Contacting Sales Support

For questions about products, pricing, and capabilities, please contact your local partner. If you cannot contact your partner, please contact our Sales Support team.

Worldwide: www.netiq.com/about_netiq/officelocations.asp
United States and Canada: 888-323-6768
Email: info@netiq.com
Web Site: www.netiq.com

Contacting Technical Support

For specific product issues, please contact our Technical Support team.

Worldwide: www.netiq.com/Support/contactinfo.asp
North and South America: 1-713-418-5555
Europe, Middle East, and Africa: +353 (0) 91-782 677
Email: support@netiq.com
Web Site: www.netiq.com/support

Contacting Documentation Support

Our goal is to provide documentation that meets your needs. If you have suggestions for improvements, please email Documentation-Feedback@netiq.com. We value your input and look forward to hearing from you.

Contacting the Online User Community

Qmunity, the NetIQ online community, is a collaborative network connecting you to your peers and NetIQ experts. By providing more immediate information, useful links to helpful resources, and access to NetIQ experts, Qmunity helps ensure you are mastering the knowledge you need to realize the full potential of IT investments upon which you rely. For more information, please visit <http://community.netiq.com>.

Chapter 1

Introduction

Businesses today have an increasing need to produce easy-to-read, well-designed reports that reflect activity and events in their computing environments. NetIQ Reporting Center provides customers with the ability to create these reports that deliver the latest information about their businesses. For example, you can create reports that display the number of events in a managed domain during a specified time period. You can then use the same report to create multiple reports that display other time periods for events in that managed domain.

You can also use Reporting Center to create reports for security events, such as tracking the number of users that your business has provisioned or deprovisioned during a specific time period. You can easily customize almost every aspect of the look and feel of the charts and tables in your reports.

What is Reporting Center?

Reporting Center is a reporting framework that allows you to extract data from the databases of other NetIQ products and present the information as charts and tables in customizable reports. Reporting Center transforms the data into useful reports about the computing infrastructure that supports your business. You can use these reports to:


- Track the performance of your servers
- Uncover trends across your network
- Track security events
- Track provisioning activity for users and groups
- Make forecasts about resources and performance

Reporting Center uses Microsoft SQL Server and SQL Server Reporting Services (SSRS) to deliver up-to-the-minute enterprise analysis reports.

How Reporting Center Works

Reporting Center comprises a number of components that work together to retrieve data from source NetIQ databases and produce effective reports. You customize and configure these reports in the Reporting Center Console and then deploy the reports to SSRS for distribution. You can distribute Reporting Center components across multiple computers or install them all-in-one.

The following diagram provides an overview of the Reporting Center architecture.



The Reporting Center Console connects to the Reporting Center Web Service, which allows you to perform queries on the source databases. You can install the Console on multiple computers. The Web Service retrieves data from the source databases and returns it to the Console, where you can configure and run reports. The Reporting Services Data Extension makes the same connection to the Web Service to publish, print, and provide Web access to reports using SSRS. You can deploy reports to multiple instances of SSRS and then view the reports in a Web browser. Reporting Center stores report configuration, security, and deployment information in the Reporting Center Configuration Database.

Console

The Console is the Reporting Center user interface, where you run reports and perform administrative tasks, such as defining Reporting Center accounts, groups, and permissions. From the Console you can manage connections to databases on any SQL Server. You can also configure contexts for each report, such as setting a time frame, selecting data series, and specifying parent categories of data.

You use the Console to perform tasks such as customizing the look and feel of a report, determining the amount of data displayed in a report, creating dashboard reports that contain multiple related reports, and configuring deployment settings and subscriptions for SSRS.

Configuration Database

The Configuration Database, NQRConfig, contains information that Reporting Center uses to run your reports, including settings you configure during installation, as well as information that you define and view in the Reporting Center Console. The Configuration Database is created with case-insensitive settings. It includes the following information:

- Security information, such as the level of privileges assigned to each user, and the permissions you define for folders and reports.
- SQL server and database names that Reporting Center uses to run reports.
- Information about folders you set up to group your reports and data source connections.
- Web Service specifications.
- Customized schedule configurations and the status of scheduled reports.

Web Service

The Web Service is the centralized point of access to all your databases. It serves as the layer between the Reporting Center Console and the source databases, running the SQL queries that gather report data and then returning the data to the Console. In addition to authenticating source database connections, it also authenticates connections to the Reporting Services Data Extension, which, in turn, publishes your reports to SSRS. The Web Service runs on a Microsoft Internet Information Services (IIS) Web server.

Reporting Services Data Extension

Reporting Center allows you to deploy reports to SSRS, which is the component of SQL Server that allows you to create and manage reports, and deliver them on a schedule. When you deploy a report from Reporting Center, the Reporting Services Data Extension communicates with SSRS through the Reporting Center Web Service to deliver the information. SSRS publishes the report, which you view in a Web browser.

Chapter 2

Installing Reporting Center

This chapter lists the system requirements, account requirements, and supported applications for Reporting Center components. It also provides information about things to consider when you plan your installation or upgrade. Note that installing Reporting Center in a FIPS-compliant environment might require additional configuration measures. For more information, see [“FIPS Solutions”](#) on page 29.

System Requirements

The following table lists the hardware and software requirements for Reporting Center components.

Category	Requirement
Disk Space	575 MB free disk space
Memory	1 GB, 2 GB recommended
Screen Resolution	At least 1024x768 for the Console
Operating System (for all components)	One of the following operating systems: <ul style="list-style-type: none">• Microsoft Windows Server 2008 R2• Microsoft Windows Server 2008 (32-bit or 64-bit)• Microsoft Windows Server 2003 R2 (32-bit or 64-bit)• Microsoft Windows Server 2003 (32-bit or 64-bit) The Console also supports the following desktop operating systems: <ul style="list-style-type: none">• Microsoft Windows 7 Enterprise (32-bit or 64-bit)• Microsoft Windows Vista Enterprise (32-bit or 64-bit)• Microsoft Windows XP Professional (32-bit or 64-bit)
Configuration Database	Microsoft .NET Framework 4.0 One of the following SQL Server versions: <ul style="list-style-type: none">• Microsoft SQL Server 2008 R2• Microsoft SQL Server 2008 (32-bit or 64-bit)• Microsoft SQL Server 2005 (32-bit or 64-bit) Ensure that you install SQL Server and the Windows operating system on the same platform, either 32-bit or 64-bit.
Reporting Center Console	Microsoft .NET Framework 4.0

Category	Requirement
Reporting Center Web Service	All of the following: <ul style="list-style-type: none"> • Microsoft Internet Information Services (IIS) 7.5, 7.0, or 6.0. For versions 7.5 or 7.0, the following Role Services are required: <ul style="list-style-type: none"> • Application Development: ASP.NET • Security: Windows Authentication • Management Tools: IIS 6 Metabase Compatibility • Microsoft .NET Framework 4.0 • Microsoft SQL Server 2008 R2 ADOMD.NET
Reporting Services Data Extension	Both of the following: <ul style="list-style-type: none"> • Microsoft SQL Server Reporting Services 2008 R2 or 2008 • Microsoft .NET Framework 4.0
Web Browser	Microsoft Internet Explorer 9.0, 8.0, or 7.0

Planning Your Installation

This section includes the following information to help you plan your installation:

- Descriptions of the user accounts you will need to create or identify before installation.
- Installation prerequisites for each component of Reporting Center.
- Installation considerations for each component.

Account Requirements

The following table lists the accounts you need to create or identify *before* installing Reporting Center.

Account	Description	Requirement
Database Installer Account	Account you log in with to run the setup program that creates the Configuration Database.	<ul style="list-style-type: none"> • System Administrator privileges on the SQL server where you install the Configuration Database. • Local administrative permissions on the computer where you run the setup program.
Web Service Installer Account	Account you log in with to run the setup program that creates the Web Service and also configures the Web Service account in the Configuration Database.	<ul style="list-style-type: none"> • System Administrator privileges on the SQL server where you install the Web Service. • Local administrative permissions on the computer where you run the setup program.
Web Service User Account	Account that the Web Service uses to retrieve data from the reporting database.	<p>None. If the account does not exist, the setup program creates it and assigns the following roles:</p> <ul style="list-style-type: none"> • dbcreator and bulkadmin on the SQL server. • db_owner on the Configuration Database.
Console Account	Account that connects to the Web Service to display and use the Reporting Center Console.	<ul style="list-style-type: none"> • Ability to log into the Web Service.

Installation Prerequisites

The following table lists the prerequisites you need to install each component of Reporting Center. For more information about specific accounts, see [“Account Requirements”](#) on page 6.

Component	Installation Prerequisites
Configuration Database	<ul style="list-style-type: none">• Credentials for the Database Installer Account.• The name of the SQL Server instance where you will install the Configuration Database.
Web Service	<ul style="list-style-type: none">• Credentials for the Web Service Installer Account.• The location of the Configuration Database.• Credentials for the Web Service User Account.
Console	<ul style="list-style-type: none">• The name of the Web Service server, in this format: <code>http://ServerName/NRCWebService</code>
Reporting Services Data Extension	<ul style="list-style-type: none">• The SSRS URL, in this format: <code>http://ServerName/ReportServer</code>

The Order of Your Installation

You can install the Reporting Center components individually or in any combination. If you install the components on separate computers, install the components in the following order:

1. Configuration Database
2. Web Service
3. Reporting Services Data Extension
4. Console

Configuration Database Considerations

Before you install the Configuration Database, consider the following information:

- After installing all the components of Reporting Center, if you run the setup program again to modify your installation, there is no option to install the Configuration Database. This is a safeguard that prevents you from having multiple Configuration Databases installed in a single Reporting Center environment.
- After installing Reporting Center, set up regular SQL server backups for the Configuration Database.
- When you uninstall Reporting Center, the setup program removes all components except the Configuration Database.
- If you reinstall Reporting Center, the setup program allows you to overwrite the Configuration Database during set up.

Reporting Services Data Extension Considerations

Before you install the Reporting Services Data Extension, consider the following information:

- You usually install the Reporting Services Data Extension on the computer hosting SSRS, your report server. However, if you are planning on using the Report Designer component of SSRS to customize reports, install the Reporting Services Data Extension on the computer hosting Report Designer.
- To deploy reports to SSRS and use the email subscription feature with Reporting Center, you need to perform two basic configuration tasks: set up at least one System User account with the Content Manager role, and configure SSRS email settings. In addition, for subscriptions, the SQL Agent must be running. For more information about configuring SSRS, see “[Configuring SQL Server Reporting Services](#)” on page 8.

Upgrading Reporting Center

When you upgrade from Reporting Center 1.5 to Reporting Center 2.0, the Reporting Center setup program uninstalls the previous version and then installs version 2.0. In addition, the setup program migrates your data from the previous version of the Configuration Database to the latest version of the Configuration Database, NQConfig, and migrates reports to run in version 2.0.

Upgrade Considerations

Before you upgrade Reporting Center, consider the following information:

- If your data source connections were set up to use SQL authentication in Reporting Center 1.5, when you upgrade to Reporting Center 2.0 the setup program resets the password. In order for your reports to run, you will need to re-enter the SQL password in the Reporting Center Console in the Data Source Connection Properties window.
- If you exported a report using a previous version of Reporting Center, you will not be able to import the report into Reporting Center 2.0. In this version of the Reporting Center Console, reports must be exported and imported from the same version. For assistance with this, please contact NetIQ Technical Support at: <http://www.netiq.com/Support/contactinfo.asp>
- If you deployed reports in Reporting Center 1.5, after upgrading to version 2.0, you will need to *save and deploy* the reports in the Reporting Center Console to take advantage of the new features in Reporting Center 2.0.

Configuring SQL Server Reporting Services

To deploy reports to SSRS and set up email subscriptions, you must first configure SSRS to work with Reporting Center. The ability to deploy reports requires that each account that you use to log on to Reporting Center has corresponding account permissions in SSRS. Specifically, each Reporting Center account must be designated in SSRS as, at minimum, System User with the Content Manager role.

The ability to set up email subscriptions requires that you configure the SSRS email settings in the Reporting Services Configuration Manager. In addition, for subscriptions, ensure that the SQL Server Agent is running.

For more information about deploying reports, see “[Deploying Reports](#)” on page 19.

Configuring Report Deployment in SSRS

When you configure report deployment, you first specify an account as System User or System Administrator at the site level. You then assign that account the minimum role of Content Manager.

To enable report deployment in SSRS from Reporting Center:

1. In a Web browser, go to the SSRS URL, usually in the following location:
`http://ServerName/Reports`
2. Click **Site Settings > Security > New Role Assignment**.
3. Enter the user or group account that will be deploying reports from the Reporting Center Console to SSRS.
4. Select a role for that account and click **OK**.
5. On the main Reports page, click **Home > Properties > New Role Assignment**.
6. Enter the user or group account the you just assigned as a System User or System Administrator at the site level.
7. Select **Content Manager** and click **OK**.

Configuring Email in SSRS

If you want to set up a subscription in Reporting Center that will deliver your deployed reports by email on a schedule, you must configure email settings in SSRS. If you do not configure email settings in SSRS, then you will only have the option in the Reporting Center to set up a subscription for delivery to a file share.

To configure email settings in SSRS:

1. Open the Reporting Services Configuration Manager and click **E-mail Settings**.
2. Provide the email address, SMTP delivery method, and SMTP server information and click **Apply**.
3. Click **Exit**.

Chapter 3

Getting Started

Once you have installed the Reporting Center components, you can open the Console and begin managing data source connections, setting security permissions, and running reports. This section describes how to start Reporting Center and begin working with data source connections.

Starting Reporting Center


When you log on to the Reporting Center Console, the Web Service uses IIS to validate the account credentials according to the way you configured the Web Service during installation.

To start Reporting Center:

1. Log on to the computer where you installed the Reporting Center Console.
2. Click **Start > All Programs > NetIQ > NetIQ Reporting Center > Reporting Center Console**.
3. Provide the required information in the Logon dialog box and click **Logon**.

Navigating Reporting Center

Reporting Center is made up of three panes from which you can perform all the tasks related to data source connections, security settings, and reports.



Navigation Pane

The Navigation pane is the starting point for Reporting Center. Use the Navigation pane to initiate tasks such as choosing a data source connection and selecting a report. The information in the other panes change according what you do in the Navigation pane.

Reporting Center Home is at the top of the Navigation Tree and allows you to start managing security, data source connections, and reports. When you click **Reporting Center Home** from the Navigation Pane or the toolbar, the Reporting Center Console displays links to start each of those tasks, along with information about your current security settings, data source connections, and reports.

Results Pane

The center of the Reporting Center interface contains the Results pane, which displays any information related to the folder, report, or data source connection you select in the Navigation pane. This includes, for example, the contents of a report or the details of a data source connection. When you modify report properties in Reporting Center and run a report, the Results pane displays the report with those changes.

Tasks Pane

The Tasks pane contains common functions you perform in Reporting Center. The contents change according to what you select in the Navigation pane. When you select an individual report, for example, the Tasks pane displays a list of report-related tasks along with the Report Context tab, which contains the context controls for the report.

Using the Reporting Center Console

After you install and open the Reporting Center Console, you can start setting up your reporting environment.

Managing Data Source Connections

Data source connections are the basis for the reports that you run with Reporting Center. The setup program automatically configures your initial data source connections according to the information you provide during installation. These data source connections point to specific database servers that provide the data for your reports. Data source connections use either Windows authentication or SQL authentication, depending on the security configuration of the source SQL Server and the choices you make when installing SQL Server. After installation, you can configure additional data source connections and modify connection properties in the Reporting Center Console.

Specifying a Default Data Source Connection

Before you run reports for the first time, NetIQ Corporation recommends that you specify a default data source connection for each connection type. This allows you to run reports supplied with Reporting Center, which do have a specific data source connection configured.

To specify a default connection:

1. From the Navigation Tree, click **Data Source Connections** and right-click a connection.
2. Click **Data Source Connection Properties > General** and select **Default Connection**.
3. Click **OK**.

What's Next?

After you have installed Reporting Center and become familiar with the interface and data source connections, you can get started using Reporting Center. The following list is an overview of the key tasks you can perform with Reporting Center. This is a suggested order, and the order that you do these may vary, depending on the way your organization is structured.

1. Create reports from templates provided. For more information, see [“Understanding Reports”](#) on page 15.
2. Deploy a report to SSRS and set up a subscription for it. For more information, see [“Deploying Reports”](#) on page 19.
3. Create a hierarchy of Reporting Center users and groups. For more information, see [“Understanding Reporting Center Security”](#) on page 21.
4. Set up permission sets for the users and groups and assign them to objects. For more information, see [“Assigning Security to Objects”](#) on page 23.

Chapter 4

Working with Reporting Center Reports

This chapter describes Reporting Center reports and provides information about configuring, running, and deploying them.

Understanding Reports

Reports display the data extracted from NetIQ databases in tables or graphically in charts. The Reporting Center Console allows you to configure almost every aspect of the presentation of your reports, including, for example, the color scheme, the type of chart, and the display of the X- and Y-axes, data points, data streams, legends, and titles.

In addition, you can generate new columns for your tables just using the Console, without depending on SQL queries defined into the reports. You can easily create multiple reports from the same report and add them to a dashboard report that contains reports with related information.

When you select a report, the Reporting Center Console displays the report in the Results pane, and the contexts of the report in the Tasks pane. To customize the data displayed and the appearance of the report, you can configure the report contexts and properties. After you modify a report, you must save it to retain the changes. Saving also automatically redeploys reports that you previously deployed to SSRS, so you typically do not need to manually redeploy reports after modifying them in the Console.

If you previously set up a subscription for a report and you modified the report in the Console, you must manually redeploy it once to reset the subscription. Also, if you modified the data displayed (by changing the Data Query Limit context value, for example), then you must also run the report to update it.

Setting Report Contexts

Report contexts are the data controls defined in the report, such as the data source connection, time frame, processes, roles, and query limit. The information in the Report Context tab changes according to the definitions specified in each report. You can modify most contexts to customize the data displayed in your report. For contexts with a tree, you can filter the nodes to display specific data, and you can perform a search on the context tree. The Reporting Center Console displays contexts on a tab in the Tasks pane.

Common Context Controls

The following are two common context controls.

Data Source Connection

Lists the sources of data for your report. If there is more than one connection available, you can determine which source Reporting Center uses to retrieve data for each report.

Time

Allows you to specify the date and time range for a report. You can customize the dates and times or choose from predefined ranges. You can also define the interval at which you aggregate data in your report. For example, if you have specified a time range of 12 months, you will want to aggregate data by month rather than day. You can limit the contents of a report to specific hours of the day and specific days of the week.

Using Report Contexts for Multiple Reports

Reporting Center allows you to configure a context and use that setting in other reports that contain the same context. The value of a **Pinned** context overrides the default value of the context in the other reports. The value of a context that is **Not Pinned** is used only in the report displayed.

For example, you can pin the Date Range value of the Time context to “Last Month” if you want to execute a number of different reports, but only display data from the past month for each report. You can also execute reports that retrieve data for the same servers and metrics, but for a number of different time periods, by pinning other contexts.

When you open a report that does not contain the same context as the one that is pinned, Reporting Center automatically unpins the context for those reports, but keeps it pinned when you switch to a report that does contain the context.

To use a context value in multiple reports:

1. In the Tasks pane, click the Report Context tab.
2. Click the name of the context at the bottom of the Context pane. You can view one context at a time.
3. Click **Not Pinned** at the top of the Context pane, which changes the button to **Pinned**, and pins that context. When you open another report containing the same context, the Reporting Center Console displays the pinned value.

Setting Report Properties

Report properties in Reporting Center either describe the report (such as name, description, date modified) or specify the appearance of the report (chart type, data series properties, 3-dimensional properties, and so on). You can modify most properties to customize your report.

Each time you modify a property, you can view the changes by clicking **Apply**. When you are finished, save the report. Before you deploy your reports, experiment with the chart properties to be sure you are presenting information in the best way for your intended audience. As you design your reports, keep in mind that certain properties in the Reporting Center Console are not supported by SSRS. For more information, see [“SSRS Limitations”](#) on page 19.

Note that if the report is already deployed to SSRS, saving the report in the Console will redeploy the report to all SSRS locations. Therefore, if you want to experiment with the appearance of a report, but do not want the report to be redeployed each time, save a test version of the report that you can use to configure in varying ways.

Example: Configuring Axes to Enhance Charts

Reporting Center makes it easy to configure chart properties to create interesting and relevant reports. Suppose you are preparing a report that contains data over a period of 20 months. In this report, you have a Column chart type, and the maximum value for the Y-axis is set to 100. You can use properties to manipulate the way the chart represents the data. For example, if you use the default settings (selected) for **Automatic Minimum Axis Value** and **Automatic Maximum Axis Value** (in the Report Properties dialog box, go to **Axes > Primary Y-Axis > Configure**), Reporting Center will calculate the minimum and maximum values for the Y-axis based on the minimum and maximum values of the data in the report.

Although the chart will provide an accurate representation of the values, you can use the Y-Axis properties to provide a more meaningful presentation of this information. You can set the Y-axis to match the *possible* range of values by configuring **Minimum Axis Value** and **Maximum Axis Value**, which will provide you with a visual representation of where your data fits into the larger scheme.

To make the chart even more readable, you can limit the number of labels on the X-axis. For example, it is unnecessary to display a date on each data point for 20 months. You can change the frequency of the X-axis labels by changing the Label Interval Type to Auto or by changing it to Data Point, and specifying a number larger than 1 (in the Report Properties dialog box, go to **Axes > X-Axis > Configure**).

This is just one example of the ways that you can use properties to clarify the information in your charts and make them easier to understand.

Chart Limitations

When you configure properties for charts, consider the following information:

- If you use scale breaks in your charts, NetIQ Corporation recommends using the default settings provided in the Reporting Center Console. Microsoft Chart Controls have a limitation in which scale breaks are not supported under any of the following conditions:
 - Pie, doughnut, or any stacked chart types are used.
 - Custom intervals for labels, tick marks or grid lines are enabled.
 - The minimum or maximum value for the axis is set.
 - Custom labels are used.
 - A logarithmic Y-axis is specified.
 - Axis views on the Y-axis, which include scrolling and zooming, are used.
 - 3-D charts are used.

If any of these conditions are used with scale breaks, the Reporting Center Console stops working. For more information about this issue, see <http://msdn.microsoft.com/en-us/library/system.web.ui.datavisualization.charting.axisscalebreakstyle.aspx>.

- If you choose any of the Line chart types, specifically Line, Fast Line, Step Line, and Spline, use the **Border Line Width** and **Border Line Style** properties to configure the appearance of the data series. This will ensure that these charts are displayed correctly when deployed to SSRS. You access these settings in the Report Properties window on the Data Series tab.

Note that, for these chart types, you do *not* use the **Border Line Color** option to set the data series color. Instead, you use the **Color** property in the Configure Data Series dialog box, which you access from the Data Series tab by clicking **Configure** on the **Predefined Data Series** or **Custom Data Series** fields. Click the Chart tab and set a value for the **Color** field.

- If you specify a column for the X-axis that is in date-time format, you will not be able to group the data by that column, or sort the data in ascending or descending order. For all other data types, the grouping and sorting options are available.

Exporting Report Definitions

You can share reports by exporting report definitions. Reporting Center allows you to email or export charts and tables in a number of image and file formats. You export report definitions from the Report tab.

Using Dashboard Reports

Dashboard reports provide a way of grouping reports that contain related data in a single layout. Often, the purpose of a dashboard report is to give an overall picture of a specific part of your business. Accordingly, when you configure the dashboard, you should limit the amount of information displayed for each member report to make it more readable. You can use any dashboard report to create a new one by saving it with a new name and adding or deleting member reports.

Dashboard Presentation

When you design the layout of a dashboard, consider the amount of information you want to present for each report on the page. To present only the most useful information for each report, Reporting Center provides the **Data Record Limit** setting, which allows you to determine the number of rows to display so that the dashboard is readable.

When you open a dashboard report, the Reporting Center Console displays the chart or table containing the limited number of data records. In the Reporting Center Console, you can use a scroll bar to view rows that did not fit into the page layout you chose, or you can click the title of the report to view all data records.

When you view a deployed report in a Web browser, SSRS does *not* provide a scroll bar, so it displays only the number of rows that fit onto the page size you chose in the Deploy Report wizard. Because additional rows are truncated by SSRS, you can use the **Data Record Limit** setting in the Console to ensure that the member reports of the dashboard are displayed correctly. In SSRS, if you want to view the complete report, first ensure that the member report is deployed, and then click the title of the member report.

Because member reports are embedded in dashboard reports, rather than linked, if you modify and redeploy a report that is also in a dashboard, you will need to redeploy the dashboard report as well. You can also deploy a dashboard without deploying individual member reports. In those cases, you will be able to view the deployed dashboard, but you will not be able to click the report title to view the complete report.

Shared Contexts

In a dashboard report, you can create shared dashboard contexts by using the existing contexts from member reports and overriding the default context values. Changing a report context to a shared dashboard context does not modify the value of context in the original report. Shared contexts just provide flexibility for the way you configure the dashboard. Instead of changing contexts in several individual reports and then adding them to the dashboard, you just override the default context values of the existing member reports. Member reports can use a combination of shared dashboard contexts and default report contexts.

When you create a dashboard, the Reporting Center Console displays the contexts found in the member reports. It displays the report-defined contexts, as well as user-defined contexts. Often, more than one report will contain the same context type, such as Time or Data Source Connection, with different values.

You can share those contexts to have all reports display the same time period, for example, or retrieve data from the same database. In these cases, the Reporting Center Console displays the default values of the context from one of the reports and allows you to customize the context values for the dashboard. For example, if the member reports of your dashboard display data for a number of different time periods, and you want them all to show data for the last 14 days, share the Time context so that it overrides the default values for each report. Or, if you have two reports that retrieve data from two different databases, you can override contexts so that both reports retrieve data from the same database.

Note that contexts are configurable in the Reporting Center Console only, and not in SSRS.

Deploying Reports

You deploy reports to SSRS to make them accessible to anyone a Web browser. Reporting Center allows you to configure SSRS from the Reporting Center Console, without opening SSRS. There are a number of deployment options, such as running the report on a schedule, delivering deployed reports to a file share or an email address, and automatically refreshing the report when data changes. You deploy reports from the Deploy Report wizard, which you access from the Report ribbon in the Reporting Center Console.

Once you have deployed a report, Reporting Center automatically deploys changes when you save or run the report in the Console. It is not necessary to manually redeploy a report each time you modify it in the Console, unless you set up a subscription for the report. In that case, when you modify the report in the Console, you must redeploy the report once to reset the subscription. If you delete a deployed report from the Console, it is also deleted from SSRS.

Important

To deploy reports from Reporting Center, you must have permission to deploy a report from the Console and you must configure the correct permissions in SSRS. In addition, to take advantage of the email delivery option, you must configure email settings in SSRS. For more information, see [“Configuring SQL Server Reporting Services”](#) on page 8.

SSRS Limitations

Before you deploy reports to SSRS, consider the following information:

- For reports deployed using Microsoft SQL Server 2008 Reporting Services, the deployed report does not display the grid lines and tick marks configured in the Reporting Center Console. You configure grid lines and tick marks in the Properties dialog boxes for the X-Axis, Primary Y-Axis, and Secondary Y-Axis.
- SSRS does not support the Forecast report property. Reports configured in Reporting Center using Forecast will not display the forecasted data series.
- SSRS does not support the Data Point Marker Step report property. When you configure a data point step for markers on a data series, the value of the step is always 1 in SSRS, regardless of the actual value you set the Reporting Center Console before deploying the report. For more information, see <http://schemas.microsoft.com/sqlserver/reporting/2008/01/reportdefinition>.
- In the Deploy Report wizard, if you configure the report to automatically refresh at regular intervals, and then you modify the report in the Console, the next time SSRS tries to refresh the report, it returns the following error: **An error occurred during client rendering. An error has occurred during report processing. The data source ‘DataSourceName’ cannot be found.** To refresh the report, click F5 in the browser. SSRS resumes the auto-refresh at the intervals specified in the Deploy Report wizard.

Deploying a Report to SSRS

After you have saved a report, you can deploy it to SSRS.

To deploy a report to SSRS:

1. From the Reports tab, click **Deployment > Deploy Report**.
2. Enter information in the Deploy Report wizard. For more information about the wizard, see the Help.
3. Click **Finish**.
4. To view the deployed report, go to a Web browser and type the following URL:
`http://ServerName/Reports`
5. Click the report you deployed.

Chapter 5

Configuring Reporting Center Security

Reporting Center security defines what is visible to each user and determines what each user is allowed to do. Reporting Center saves all security settings in the Configuration Database.

Understanding Reporting Center Security

Configuring security in Reporting Center means restricting or allowing users access to objects on the Navigation Tree, including folders, reports, dashboards, templates, and data source connections. You configure security settings in the Manage Security window, which you can access from the Global Tasks ribbon, the main home page, or the Tasks pane.

When you configure security, you can define users, user groups, and permission sets.

Users

Individual user accounts. Administrators create an account for every user and determine user access to the Reporting Center Console. Reporting Center allows administrators to import user accounts from Windows Active Directory.

User Groups

Collections of user accounts. Every user must be a member of at least one group, and groups can be members of other groups. Reporting Center allows administrators to create new Reporting Center groups or import Windows Active Directory groups.

Permission Sets

Definitions specifying the level of access for groups to data source connections, folders, reports, and dashboards.

Configuring security includes the following types of tasks:

- Enabling and disabling users, granting Reporting Center administrative permissions to individual users, and adding Windows users to Reporting Center.
- Creating groups of Reporting Center users, granting administrative permissions to specific groups, and adding Windows users to Reporting Center groups.
- Creating and enabling permission sets that grant or deny access to specific objects or tasks in Reporting Center.

Understanding Users and User Groups

You configure your security model by defining users, adding users to user groups, and assigning a group and a permission set to each object in the Navigation pane. You can create users, user groups, and permission sets in any order.

The primary purpose of creating a user in Reporting Center is to assign it to a group. Administrators can grant users administrative privileges, but they cannot associate permission sets with users by themselves. After installation, only the installing account has access to Reporting Center as a member of the predefined Administrators group.

Reporting Center provides the following predefined user groups, which you cannot delete.

Reporting Center Administrators

Grants full, administrative permissions in Reporting Center. By default, Reporting Center adds the installing account to this group.

In Reporting Center, to have administrative permissions, a user account must be a member of Reporting Center Administrators or a member of a group that is a member of it. Having administrative privileges outside of Reporting Center is not sufficient.

Reporting Center Users

Allows administrators to grant limited, non-administrative permissions in Reporting Center. By default, this group contains no members and has no permissions defined.

When you design your security model, take advantage of the flexibility that Reporting Center provides by importing groups and by adding groups as members of other groups. For example, you can import a complete Windows Active Directory group and grant the group access to a specific report. You can also configure that imported Active Directory group to be a member of another group, and, at the top level, grant the group access to relevant reports.

Understanding Permission Sets

Defining permission sets allows you to enforce more granular security for each object in Reporting Center. You can allow or restrict access to every task users can do, so that, for example, one group can have permission to create and delete reports, and another group can have permission to only view reports. You decide what users can do according to what they need to effectively do their jobs, and according to how you want to configure your environment.

When you configure permission sets, choose from the following three states.



Granted: Users will have access to the object with this permission or will be allowed to do the specified task (such as modifying reports or creating folders).



Denied: Users will not be able to access the object with this permission or will not be allowed to do the specified task. When a user logs on, Reporting Center does not display the restricted objects.



Not Granted: The specified task does not have any defined permissions. Users will be able to view these objects (as long as the **View a Node** permission is granted), but not perform the tasks.

Reporting Center provides a number of predefined permission sets that you can either customize to create new permission sets, or use as provided. These permission sets allow various levels of access to data source connections, folders, reports, and dashboards in the Navigation Tree. The following table lists the predefined permission sets, along with the access they allow or restrict. If you customize one of these permission sets, you can allow or restrict access to each individual task, such as creating folders, exporting reports, and so on.

If you modify the predefined permission sets, NetIQ Corporation recommends that you do not change their names. If you upgrade Reporting Center in the future, Reporting Center will reinstall them with the original names.

Note

To ensure that a node is visible, you must include the Node permission **View a Node** in the permission set. Otherwise, it is possible for a group to have permissions to manipulate a node that is not displayed. Permission to run a report is included in the View a Node permission.

Category	Permission
Administration	Assign security rules to a Node
Folder	Create a new Folder Delete a Folder Move a Folder Rename a Folder
Node	View a Node
Report	Create a new Report Delete a Report Deploy a Report Export a Report Move a Report Print a Report Rename a Report Save a copy of Report Save a Report

Assigning Security to Objects

Once you have set up users, user groups, and permission sets, the next step is to apply security to the objects on the Navigation Tree. When you configure security for these objects, you choose a user group and a permission set and associate them with the specified object. These security settings determine what users are allowed to do in Reporting Center. You can apply security to every object except **Reporting Center Home**, which is the root object on the Navigation Tree.

For objects in a hierarchy, Reporting Center uses the most restrictive permissions and applies them to the subfolders and objects. If you have not configured security for a particular object, that object inherits the permissions of its immediate parent. When you log on to Reporting Center, it displays only the objects that the group has permission to view.

For example, suppose a group has permission to view the default **Reports** folder, as well the folder for Application A, but does not have permission to view the folder for Application B. In this case, the group has access to the reports for Application A, but does not have access to the reports for Application B. The Reporting Center Console will not display the Application B folder when users from that group log on.

Tips for Planning Your Security Model

As you plan your security model, consider the following recommendations:

- Arrange your groups hierarchically. Take advantage of the ability to add groups as members of other groups. In this way, you can arrange the groups correctly and then assign permission at the top level.
For example, suppose you have a shared environment running NetIQ Aegis, NetIQ Directory and Resource Administrator (DRA), and NetIQ Analysis Center. For each application, you can create “bucket” groups that contain other groups that can only access the reports and dashboards for those applications. Rather than assign permissions for each member group, you would assign permissions at the top-most level.
- Use the Reporting Center user groups you create or the Windows Active Directory groups you import to manage the different permission levels of different folders, reports, and data source connections. For example, an Aegis group would only have access to the Aegis nodes and connections on the Navigation Tree, a DRA group would have access to DRA reports and connections, and do on.
- Organize your security model before you implement it by creating user accounts, user groups, and permission sets, and keeping them disabled until you are ready to apply security.
- In the ongoing administration of Reporting Center Security, modify your security model to adapt to the needs of your company so that users only have access to the reports and data source connections relevant to them.
- For a user account to view objects on the Navigation Tree when the user logs on to Reporting Center, the account must be a member of a group associated with a permission sets. Otherwise, the Navigation Tree will be blank.

Applying Security

You can add multiple users to a user group and multiple groups to other groups. You can also add the same group multiple times with different permissions. In this case, if there are overlapping permissions (for example, two different permission sets that both assign permissions to reports), the most restrictive permission set takes precedence.

To apply security to a node on the Navigation Tree:

1. *If you are applying security to a folder or data source connection*, right-click the node and click **Folder Properties > Permissions** or **Data Source Connection Properties > Permissions**.
2. *If you are applying security to a report or dashboard*, right-click the node and click **Report Permissions** or **Dashboard Permissions**.
3. Click **Add**.
4. In the dialog box, choose a user group and then choose a permission set. Reporting Center enforces this permission set for the group you select. From this dialog box, you can also modify or create new permission sets.
5. Click **OK** and then click **OK** in the main window.

Appendix A

Troubleshooting

This appendix includes suggestions for resolving issues you may encounter when using Reporting Center.

General Web Service and Logon Issues

If you encounter errors when you log on to the Reporting Center Console or when you try to connect to the Reporting Center Web Service for another reason, consider the following suggestions:

- Check that there has been no change to the SQL account credentials.
- If the Web Service is installed on IIS 7.0 or later, check that ASP.NET Impersonation Authentication is disabled in the NRCWebService Virtual Directory.
- Configure IIS to display more detailed error messages in order to diagnose the problem.

The following sections describe how to perform these tasks.

Resetting the SQL Account

If the Reporting Center Web Service is installed using a SQL account, and the password on that account is subsequently changed, you will see the following message:

`Login Error: Login failed for user <SQL User Account> using the SQL account.`

To resolve this issue:

1. Uninstall the Reporting Center Web Service and reinstall it using the new SQL password. This will not affect your reports.
2. In the Reporting Center Console, in the Data Source Connection Properties window, re-enter the SQL password.

Verifying the Authentication Settings

For IIS 7.0 or later, in the NRCWebService Virtual Directory, Windows Authentication is enabled and ASP.NET Impersonation Authentication is disabled by default. If the Virtual Directory is no longer configured this way, you will be unable to log on to the Reporting Center Web Service.

To configure authentication settings in IIS 7.0 or later:

1. Start IIS Manager on the computer where you installed the Web Service, and expand the Web Sites folder.
2. Expand the Web Site where you installed the Web Service, and click **NRCWebService**.
3. In the IIS section of the center pane, double-click **Authentication**.

4. *If ASP.NET Impersonation is enabled*, select it and click **Actions > Disable**.
5. *If Windows Authentication is disabled*, select it and click **Actions > Enable**.
6. Close IIS Manager.

Configuring Error Messages

If IIS Manager is displaying generic error messages, you can configure Internet Explorer to display more technical error messages to obtain more information.

To configure error messages in Internet Explorer:

1. Click **Tools > Internet Options**.
2. Click the **Advanced** tab and deselect the **Show Friendly HTTP Error Messages** check box in the **Browsing** list. You might need to scroll down to view it.
3. Go back to IIS Manager and generate the Default Web Site error or Web Service error again to obtain more detailed information.
4. Contact NetIQ Technical Support with this information at: <http://www.netiq.com/Support/contactinfo.asp>

Reporting Center Web Service Unavailable

If you log on to the Reporting Center Console and the Reporting Center Web Service is unavailable, you will see the following message:

web service '*WebServiceURL*' is currently unavailable.

Verifying That the Application Pool is Running

If you encounter this error message when you log on, ensure that the Reporting Center Application Pool (NRCAppPool) is installed and running. If it is not, you should restart it in IIS Manager and log on to the Reporting Center Console again.

To manually start the NRCAppPool application:

1. Start IIS Manager on the server hosting the Reporting Center Web Service, and expand **Application Pools**.
2. Right-click **NRCAppPool** and select **Start**.
3. Close IIS Manager and log on to the Reporting Center Console.

Resetting an Expired Windows Account

You can also check whether the Windows account used to install the Web Service has expired. If it did expire, and the Reporting Center Console displays the Service Unavailable error when you log on, reactivate the account and reset the password. Then reset the Reporting Center Application Pool (NRCAppPool) identity. The NRCAppPool Identity user is the Windows account that was used to install the Reporting Center Web Service.

To manually reset the NRCAppPool identity user password:

1. Start IIS Manager on the server hosting the Reporting Center Web Service, and expand **Application Pools**.
2. *If you are running IIS 6.0:*
 - a. Right-click **NRCAppPool** and select **Properties**. Click the Identity tab.
 - b. Click **Configurable**, enter the Identity user credentials, and click **OK**.
 - c. Right-click **NRCAppPool** and select **Start**.
3. *If you are running IIS 7.0 or 7.5:*
 - a. Select **NRCAppPool**.
 - b. From the Action pane to the right of the Application Pools list, click **Advanced Settings**.
 - c. In the Process Model section, select **Identity** and click **Custom account**.
 - d. Click **Set**, and enter the identity user credentials in the Set Credentials window.
 - e. Click **OK** to close the Set Credentials window, the Application Pool Identity window, and the Advanced Settings window.
 - f. Right-click **NRCAppPool** and select **Start**.

No Data Found In a Report

If you execute a report and the Reporting Center Console displays a “No Data” message, the report might not contain data for the contexts specified for the report. Check whether Reporting Center can retrieve data for a broader range of contexts, such as a greater time or date range.

To verify if the data is outside the current context configuration:

1. In the Context Pane of the Reporting Center Console, change the relevant contexts to include a broader date range or more information (such as selecting more items in a navigation tree).
2. Click **Run Report**.

If the report contains data, the Reporting Center Console displays the information according to the contexts you reconfigured. This indicates that Reporting Center had originally executed the report correctly, but had no data to retrieve for the specified contexts.

Appendix B

FIPS Solutions

This appendix includes suggestions for resolving issues you may encounter when using Reporting Center in an environment that complies with Federal Information Processing Standards (FIPS). If you need further assistance, please contact NetIQ Technical Support at: <http://www.netiq.com/Support/contactinfo.asp>

Installation and Configuration Issues

Depending on the level of security applied in your environment, you might be unable to complete the setup program or run Reporting Center. If your environment is FIPS-encryption-enabled or just highly secured, try the following security configurations:

- To run the setup program, use the domain account that will be used as the Reporting Center service account.
- When launching the installation package or the Reporting Center executable file, use the **Run as Administrator** command.
- Instead of running the setup program using Remote Desktop Protocol (RDP), use **console session 0** mode.
- If necessary, temporarily disable the FIPS encryption policy setting during installation only.
- Add the Reporting Center service account to the local security policy settings for Impersonation and delegation.
- Add the following user right to the Reporting Center service account: **Enable computer and user accounts to be trusted for delegation**
- Add the following user right to the Reporting Center service account: **Impersonate a client after authentication**.
- Configure the SQL Server service account to use the Reporting Center service account.
- If necessary, temporarily disable UAC for the Reporting Center service account during installation.
- Verify the IIS_IUSRS group permissions on the Reporting Center, IIS, and ASP.NET directories.
- Verify the Components Services (dcomcnfg) MSDTC security configurations, and enable them for network access.

- Enable the SQL Server Browser Service on servers where Reporting Center components will be hosted.
- Where the Windows Firewall is enabled, add explicit exceptions for IIS, SQL, Analysis Services, MSDTC, and Integration Services, where appropriate.
- Where the Windows Firewall is enabled, add explicit exceptions for the NetIQ Reporting Center Console (`NRconsole.exe`) after Reporting Center has been installed successfully.

SSRS Report Manager Issue

According to Microsoft, Microsoft SQL Server 2008 Reporting Services and SQL Server 2008 R2 Reporting Services have the following limitation.

Report Manager fails after you enable FIPS-compliant algorithms in Local Security Policy

When running Microsoft SQL Server 2008 Reporting Services and SQL Server 2008 R2 Reporting Services, you will not be able to use Report Manager if you enable the following Local Security Policy: “System cryptography: Use FIPS compliant algorithms for encryption, hashing, and signing.”

There is no current workaround for this issue. To use Report Manager, you need to disable the setting and restart the Report Server service. For more information about this issue, see <http://msdn.microsoft.com/en-us/library/ms345220.aspx>.

For additional configuration options, see the following Microsoft Knowledge Base article: <http://support.microsoft.com/kb/911722>.