PlateSpin Forge 3

Configuration Worksheet

Appliance Setup Parameters for Reference

Use the following worksheet to record your selections and configurations for future reference.

1	Forge Superuser/root	Login: **root**
	(a.k.a. Forge Virtual Host)	Password (default: `password`): _ _ _ _ _ _ _ _ _ _ _
2	Appliance Host Network Information	**[ ] Use a static IP address**
		◆ IP address: _ _ _ _ _ _ _ _ _ _ _
		◆ Netmask: _ _ _ _ _ _ _ _ _ _ _
		◆ Default Gateway (router) IP address: _ _ _ _ _ _ _ _ _ _ _
		◆ DNS Server IP address: _ _ _ _ _ _ _ _ _ _ _
		◆ Hostname (such as `forge`): _ _ _ _ _ _ _ _ _ _ _
3	Forge Host Credentials	Host login: **forgeuser**
		Password: _ _ _ _ _ _ _ _ _ _ _
4	VMware Infrastructure/ vSphere Client	IP address / Name (from section 2): _ _ _ _ _ _ _ _ _ _ _
		User Name (from section 3): _ _ _ _ _ _ _ _ _ _ _
		Password (from section 3): _ _ _ _ _ _ _ _ _ _ _
5	Forge Mgmt VM network settings	**[ ] Use DHCP**
		[ ] Use a static IP address
		◆ IP address: _ _ _ _ _ _ _ _ _ _ _
		◆ Netmask: _ _ _ _ _ _ _ _ _ _ _
		◆ Default Gateway (router) IP address: _ _ _ _ _ _ _ _ _ _ _
		◆ DNS Server IP address: _ _ _ _ _ _ _ _ _ _ _
		◆ Hostname: _ _ _ _ _ _ _ _ _ _ _
		◆ DNS Suffix: _ _ _ _ _ _ _ _ _ _ _

NOTES:

6	Join workgroup or domain	**[ ] Skip**
		[ ] Yes
		• **[ ] Domain**
		• Domain name: _ _ _ _ _ _ _ _ _ _
		• Domain user: _ _ _ _ _ _ _ _ _ _
		• Domain password: _ _ _ _ _ _ _ _ _ _
		• **[ ] Workgroup**
		• Workgroup name: _ _ _ _ _ _ _ _ _ _
7	PlateSpin Forge Web Client Credentials	Username (default: **administrator**):
		Password (default: **password**):
8	License Activation	• **[ ] Online Activation**
		• Email Address (from the Novell Order e-smail): _ _ _ _ _ _ _ _ _ _
		• Activation Code (from NCC): _ _ _ _ _ _ _ _ _ _
		• **[ ] Offline Activation**
		• Hardware ID: _ _ _ _ _ _ _ _ _ _
		• License File location: _ _ _ _ _ _ _ _ _ _
9	Local Administrator Password	User Name (default: **administrator**):
		Current password: _ _ _ _ _ _ _ _ _ _
		New password: _ _ _ _ _ _ _ _ _ _
10	SMTP Settings (Optional settings for notifications)	SMTP Server Address: _ _ _ _ _ _ _ _ _ _
		Port (default: 25): _ _ _ _ _ _ _ _ _ _
		Reply Address: _ _ _ _ _ _ _ _ _ _
		Username: _ _ _ _ _ _ _ _ _ _
		Password: _ _ _ _ _ _ _ _ _ _
11	Notification Recipients – Optional	E-mail Addresses (comma-separated list):

NOTES: